# Computer Operator and Programming Assistant 1<sup>st</sup> Semester -Module 1 & 2: Safe Working Practice & Introduction to Computer Components

| Questions: Level 1 |  |  |
|--------------------|--|--|
| હા                 |  |  |
| 1                  | Which is the sequence, in which computer     |  |
| •                  | operates?                                    |  |
| Α                  | Input, output, process                       |  |
| в                  | Input, process, output                       |  |
| С                  | Process, input, output                       |  |
| D                  | Output, process, input                       |  |
| 2                  | Which is the first general purpose           |  |
| _                  | programmable electronic computer?            |  |
| Α                  | ENIAC  |  |
| В                  | EDVAC  |  |
| C                  | EDSAC  |  |
| D                  | UNIVAC                                       |  |
| 3                  | What type of device is computer?             |  |
| Ă                  | Electrical device                            |  |
| В                  | Electronic device                            |  |
| C                  | Electro magnetic                             |  |
| D                  | Electro mechanical                           |  |
|                    |  |  |
| 4                  | Who is considered as father of computer?     |  |
| A                  | Charles Babbage                              |  |
| B                  | John Lickert                                 |  |
| C                  | John Mauchy                                  |  |
| <u>D</u>           | M.V Wilkes                                   |  |
| 5                  | Who invented Analytical engine?              |  |
| Α                  | Charles Babbage                              |  |
| В                  | John Lickert                                 |  |
| С                  | John Mauchy                                  |  |
| D                  | M.V Wilkes                                   |  |
| 6                  | What is the main electronic component of the |  |
|                    | first generation computer?                   |  |
| Α                  | Integrated circuit                           |  |
| В                  | Microprocess                                 |  |
| С                  | Transistors                                  |  |
| D                  | Vacuum tubes                                 |  |
|                    |  |  |

- 1 How does the parallel port transfer a byte?
- A Bit by bit
- B 2 bits at a time
- **C** 4 bits at a time
- D 8 bits at a time
- 2 Which is an internal power supply units of CPU?
- A CVT
- B UPS
- C SMPS
- D Stablizer
- **3** What is the purpose of expansion slot in mother board ?
- **A** To insert the RAM
- B To insert the mouse
- **C** To insert the keyboard
- **D** To insert the additional peripherals
- 4 What is the purpose of memory unit in a computer?
- A Accepts data
- **B** Displays data
- C Process data
- D Stores data
- 5 How many pins are there in DIMM?
- **A** 138
- **B** 148
- **C** 158
- **D** 168
- 6 How many pins are there in SIMMs?
- **A** 32 72
- **B** 42 82
- **C** 52 92
- **D** 62 -102

# Module 1 & 2 : Safe Working Practice & Introduction to Computer Components - Key paper

| Questions: | Level 1 |
|------------|---------|
| SL.No      | Key     |

В

A B

А

А

D

1

2

3 4

5

6

| SL.No | Key |
|-------|-----|
| 1     | D   |
| 2     | С   |
| 3     | D   |
| 4     | D   |
| 5     | D   |
| 6     | A   |

## Computer Operator and Programming Assistant 1<sup>st</sup> Semester -Module 3 : Windows Operating System

- 1 Which one is an example for OS?
- A Antivirus
- B Windows
- C MS Office
- D Macromedia
- 2 Which acts as an intermediate between a user and a computer?
- A Macros
- **B** Antivirus
- C MS Office
- D Operating system
- **3** What is the function of OS?
- A calculation
- B word processing
- **C** drawing pictures
- D process & memory management
- 4 Where does the minimized application reside in windows?
- A Task bar
- **B** My computer
- **C** My Document
- D Recent documents

| 1 | Which tool in control panel is used to adjust  |  |  |
|---|--|--|--|
|   | your computer setting to control computer      |  |  |
|   | with voice command?                            |  |  |
| Α | System and security                            |  |  |
| В | Appearance and personalization                 |  |  |
| С | Hardware and sound                             |  |  |
| D | Ease of access                                 |  |  |
| 2 | Which control panel applet gives the           |  |  |
|   | information of computer?                       |  |  |
| Α | System and security                            |  |  |
| В | Hardware and sound                             |  |  |
| С | Programs                                       |  |  |
| D | Appearance and personalization                 |  |  |
| 3 | What is the extension of applet files in       |  |  |
|   | control panel?                                 |  |  |
| Α | . Ctl  |  |  |
| В | . Cpl  |  |  |
| С | . Cal  |  |  |
| D | . Csl  |  |  |
| 4 | Which shortcut key is used to copy and         |  |  |
|   | paste a file folder?                           |  |  |
| Α | Ctrl+ X and Ctrl + V                           |  |  |
| В | Ctrl + A and Ctrl + V                          |  |  |
| С | Ctrl + Z and Ctrl + V                          |  |  |
| D | Ctrl + C and Ctrl + V                          |  |  |
| 5 | Which shortcut key is used to refresh          |  |  |
|   | windows desktop?                               |  |  |
| Α | F1   |  |  |
| В | F2   |  |  |
| С | F5   |  |  |
| D | F12  |  |  |
| 6 | Which is the order of files and directories in |  |  |
| _ | Windows Explore?                               |  |  |
| Α | Serially                                       |  |  |
| В | Sequentially                                   |  |  |
| C | hierarchically                                 |  |  |
| D | Aplhabtically                                  |  |  |
| 7 | Where does the pinned application stayed in    |  |  |
| _ | Windows Os?                                    |  |  |
| Α | Desktop  |  |  |
| В | Notification Area                              |  |  |
| C | Start Button                                   |  |  |
| D | Task Bar                                       |  |  |

- 1 What steps should be taken, if windows not updated automatically?
- A start control panel settings add programs enable automatic update
- **B** start setting control panel system enable automatic updated
- **C** re- install windows Os
- D restart windows
- 2 What should be done, if the pen drive is not deducted?
- **B** Device Manger  $\rightarrow$  right click on USB root hub  $\rightarrow$  enable device
- **C** Device Manger  $\rightarrow$  right click on USB root hub  $\rightarrow$  scan for hardware changes

# Module 3 : Windows Operating System - Key paper

## Questions: Level 1

## Questions: Level 2

| SL.No | Key |
|-------|-----|
| 1     | В   |
| 2     | D   |
| 3     | D   |
| 4     | A   |

| SL.No | Кеу |
|-------|-----|
| 1     | D   |
| 2     | А   |
| 3     | В   |
| 4     | D   |
| 5     | С   |
| 6     | С   |
| 7     | D   |

| SL.No | Key |
|-------|-----|
| 1     | В   |
| 2     | В   |

## Computer Operator and Programming Assistant 1<sup>st</sup> Semester Module 4 : Computer Basics and Software Installation

- 1 What is the capacity of typical DVD?
- **A** 40 MB
- **B** 50 MB
- **C** 60 MB
- **D** 4.7 Gb
- 2 Which process is used to record data on to an optical disc?
- A Burning
- **B** Reading
- **C** Accepting
- **D** Accessing
- **3** Which software interface the major hardware components of the computer with OS?
- A BIOS
- B CMOS
- **C** DOS
- D POST
- 4 What is BIOS?
- A firmware
- B Hardware
- C Middleware
- D Software

- 1 What is the purpose of Nero StartSmart?
- A Format HDD
- B Burn CD/DVD
- **C** Format pen drive
- D Format CD/DVD
- 2 Which system is used by bluetooth for board casting?
- A Satellite
- **B** Microwaves
- **C** Telephone lines
- D Radio waves
- **3** Which one is used as authentication for paring bluetooth devices?
- A Keyboard
- B Keycode
- C Passcode
- D Password
- 4 Which program is used to enable the devices to work with OS ?
- A Antivirus
- B Device driver
- **C** System Software
- **D** Application Software
- 5 What is the name of the smaller divisions made in Hard disk?
- A Head
- **B** Partitions
- C Sectors
- D Tacks
- 6 Which key is used to open CMOS setup utility?
- A Alt
- B Del
- C Enter
- D Tab
- 7 What is the process of deleting all the data on the hard drive?
- A Delete
- B Erase
- C Formatting
- **D** Uninstall

- 1 What is the purpose of BIOS shadow?
- A Copying RAM to ROM
- B Coping ROM to RAM
- C Copying HD to RAM
- D Copying RAM to HD
- 2 What should be done, after fixing a problem or installing a new application or making configuration in a computer?
- A Hibernate
- B Restart
- C Shutdown
- D Sleep

# Module 4 : Computer Basics and Software Installation - Key paper

## Questions: Level 1

### Questions: Level 2

| SL.No | Key |
|-------|-----|
| 1     | D   |
| 2     | A   |
| 3     | A   |
| 4     | A   |

| SL.No | Кеу |
|-------|-----|
| 1     | В   |
| 2     | D   |
| 3     | С   |
| 4     | В   |
| 5     | В   |
| 6     | В   |
| 7     | С   |

| SL.No | Key |
|-------|-----|
| 1     | В   |
| 2     | В   |

# Computer Operator and Programming Assistant 1<sup>st</sup> Semester Module 5 : DOS & LINUX Operating Systems

| 1 | What is the name of hierarchical file system  |
|---|---|
|   | in DOS?                                       |
| A | Tree structure                                |
| B | Root structure                                |
| C | Hybrid structure                              |
| D | Directory structure                           |
| 2 | Which DOS command is used to delete a         |
|   | directory?                                    |
| A | RD  |
| B | REMOVE  |
| C | DEL   |
| D | DELETE  |
| 3 | Which character is used to represent parent   |
| _ | directory in Linux?                           |
| Α |   |
| В |   |
| С | *   |
| D |   |
| 4 | Which character is used to redirect output in |
|   | to an existing file in Linux?                 |
| Α | >   |
| В | >>  |
| С | <   |
| D | <<  |
| 5 | Which command is used to specify the          |
|   | location of files or folders in MSDOS?        |
| Α | dir   |
| В | path  |
| С | sub directories                               |
| D | tree  |
| 6 | How the directories under the root directory  |
|   | are called?                                   |
| Α | dir   |
| В | path  |
| С | sub directories                               |
| D | tree  |
|   |   |

| <u> </u> | ventioner Level 2  |          | Which Linux command list the content of all |
|----------|--|----------|---|
| Qu       | estions: Level 2   | 9        |   |
|          | Which files are will metches the commond                         |          | sub directory?                              |
| 1        | Which filename will matches the command.<br>DIR????T.TxT in DOS? | A        | ls ~<br>ls * /                              |
| •        |  | BC       |   |
| A        | TIME . TXT   | _        | ls /  |
| B        | TEXT . TXT   | <u>D</u> | ls/   |
| C        | TEMP . TXT   | 10       |   |
| D        | TEMPT . TxT  |          | parent directory?                           |
| 2        | What is the used of CD command in DOS?                           | A        | ls ~  |
| Α        | create a directory   | В        | ls */                                       |
| В        | change the device name   | С        | ls /  |
| С        | create root directory  | D        | ls /  |
| D        | change the path of current directory                             | 11       | What is use of 'who' command in Linux?      |
| 3        | What is the maximum number of character                          | Α        | login user                                  |
|          | allowed as file name in DOS?                                     | в        | logout user                                 |
| Α        | 3 characters   | С        | login password                              |
| В        | 6 characters   | D        | logout password                             |
| С        | 7 characters   | 12       |   |
| D        | 8 characters   | Α        | attrib -h filename                          |
| 4        | Which one of the following is the wildcard                       | В        | attrib +h filename                          |
| -        | character?   | c        | attrib /h filename                          |
| Α        | * and /  | D        | attrib \h filename                          |
| В        | ? and /  | 13       |   |
| C        | * and ?  |          | only permission?                            |
| D        | ? and @  | Α        | attrib -r filename                          |
| 5        | Which DOS command is used to create a                            | В        | attrib +r filename                          |
| 5        | text file?   | c        | attrib /r filename                          |
| Α        | List   | D        | attrib \r filename                          |
| В        | Туре   |          | Write the Linux command to remove all the   |
| C        | Copycon  | 14       |   |
| D        | Dir  |          | permission to the user and group on the     |
| _        |  |          | directory 'software'?                       |
| 6        | Which one of the following is the directory                      | A        | chmod ug - rwx software                     |
|          | separator in Linux?  | B        | chmod ug - a software                       |
| A        | /  | C        | chmod ug - A software                       |
| B        |  | D        | chmod ug - Rwx software                     |
| C        | //   | 15       | Which DOS command is used to display        |
| D        |  |          | system time?                                |
| 7        | Which character is used to represent a range                     | A        | Now   |
| _        | of values in Linux?  | B        | TIME  |
| Α        | ()   | С        | SYSTEM                                      |
| В        | []   | D        | SYSTEMTIME                                  |
| С        | {}   |          |   |
| D        | <>   |          |   |
| 8        | Which character redirects the output of one                      | 1        |   |
|          | command to another in Linux?                                     | 1        |   |
| Α        | . dot  | 1        |   |
| В        | pipe   | 1        |   |
| С        | : colon  | 1        |   |
| D        | ; semicolon  | 1        |   |
|          |  |          |   |
|          |  | 1        |   |

- 1 What in the result of the DOS command PROMPT \$D\$G?
- A Prompt >
- **B** D:>
- **C** Current date >
- D Current time >
- 2 Which DOS command is used to list all com files in D drive?
- A DIR D :\ com
- B DIR D :\ com. \*
- **C** DIR D :\ \* .com
- **D** DIR D :\ \* com \*
- **3** Which Linux command is used to sort the text file 'network' in descending order?
- A Sort / r network
- B Sort r network
- C Sort + r network
- D Sort \ r network
- Which Linux command to set the permission 'x' to user, 'rw' to others and 'rwx' to group for the file launcher?
- A chmod 176 launcher
- B chmod 671 launcher
- C chmod 167 launcher
- D chmod 166 launcher

# Module 5 : DOS & LINUX Operating Systems - Key paper

## Questions: Level 1

### Questions: Level 2

| SL.No | Key |
|-------|-----|
| 1     | В   |
| 2     | Α   |
| 3     | В   |
| 4     | В   |
| 5     | В   |
| 6     | С   |

| SL.No | Key |
|-------|-----|
| 1     | D   |
| 2     | D   |
| 3     | D   |
| 4     | С   |
| 5     | C   |
| 6     | A   |
| 7     | В   |
| 8     | В   |
| 9     | В   |
| 10    | D   |
| 11    | А   |
| 12    | В   |
| 13    | А   |
| 14    | А   |
| 15    | А   |

| SL.No | Key |
|-------|-----|
| 1     | С   |
| 2     | С   |
| 3     | В   |
| 4     | С   |

# Computer Operator and Programming Assistant 1<sup>st</sup> Semester Module 6: Word Processing Software

| Qu | estions: Level 1                             | 8  | Which one of the following is text styling     |
|----|--|----|--|
| -  |  |    | feature of MS Word?                            |
| 1  | Which command is used to store the active    | Α  | word fill                                      |
| _  | document permanently?                        | В  | word art                                       |
| Α  | Save   | С  | word colour                                    |
| В  | Send   | D  | word font                                      |
| С  | Prepare                                      | 9  | Which option is used to store the duplicate of |
| D  | Save as                                      |    | the active document permanently?               |
| 2  | Which shortcut key is used to high light the | Α  | Save   |
|    | entire word document?                        | В  | Send   |
| Α  | ctrl + A                                     | С  | Save as  |
| В  | ctrl + O                                     | D  | Rename   |
| С  | ctrl + S                                     | 10 | Which option is used to view an exiting word   |
| D  | ctrl + E                                     |    | document?                                      |
| 3  | Which tool in MS Word is used to keep the    | Α  | new  |
|    | familiar and repeated options?               | В  | open   |
| Α  | title bar                                    | С  | publish  |
| В  | task bar                                     | D  | prepare  |
| С  | scroll bar                                   | 11 | Which document view given an appearance        |
| D  | quick aceess tool bar                        |    | as in web browser?                             |
| 4  | Which area in MS Word is used to enter the   | Α  | Draft view                                     |
|    | text?  | В  | Outline view                                   |
| Α  | work space                                   | С  | Web layout view                                |
| В  | work sheet                                   | D  | Full screen reading                            |
| С  | slides                                       | 12 | How many groups are there in Home Menu?        |
| D  | work book                                    | Α  | 4  |
| 5  | Which bar contains the current position of   | В  | 5  |
|    | the cursor in MS Word?                       | С  | 6  |
| Α  | layout                                       | D  | 7  |
| В  | title bar                                    | 13 | Which group includes superscript, subscript,   |
| С  | status bar                                   |    | strike through options in MS Word?             |
| D  | horizontal ruler                             | Α  | Clipboard                                      |
| 6  | Where does the close button appear in MS     | В  | Font   |
|    | Word?  | С  | Paragraph                                      |
| Α  | top left corner of the window                | D  | Style  |
| В  | bottom left corner of the window             |    |  |
| С  | top right corner of the window               |    |  |
| D  | bottom right corner of the window            |    |  |
| 7  | Which one of the following is a word         |    |  |
|    | processor?                                   |    |  |
| Α  | MS Word                                      |    |  |
| В  | MS Excel                                     |    |  |
| С  | MS Access                                    |    |  |
| D  | MS Office publisher                          |    |  |
|    |  |    |  |

| Questions: Level 2 |  | 9  | What is the purpose of cover page?                                |
|--------------------|--|----|---|
| -                  |  | A  | Allows to fill title, author, date and other                      |
| 1                  | What is the purpose of quick access toolbar? | `` | information   |
| A                  | To hold advance function                     | в  | Fills the list of people intent to mail                           |
| В                  | To hold special function                     | С  | To view the mailed list   |
| С                  | To hold basic function                       | D  | Contains details of the documents                                 |
| D                  | To hold familiar and repeated function       | 10 | Which menu contains, Symbol option in MS                          |
| 2                  | What is the purpose of gutter margin?        |    | Word?   |
| Ā                  | Margin that is added to the left margin when | Α  | tools   |
|                    | printing                                     | в  | table   |
| в                  | Margin that is added to the right margin     | С  | format  |
| _                  | when printing                                | D  | insert  |
| С                  | Margin that is added to binding side of page | 11 | Which operation is to be performed before                         |
|                    | when printing                                |    | paste?  |
| D                  | Margin that is added to the outside of the   | Α  | Ctrl + V  |
|                    | page when printing                           | в  | Cut / copy  |
| 3                  | What in the purpose of 🗵 button?             | С  | Select all  |
| A                  | Close button                                 | D  | Select text   |
| в                  | Office button                                | 12 | Which option is used to locate any specific                       |
| С                  | Maximize buttons                             |    | character, symbols or formulas in a                               |
| D                  | Minimize button                              |    | document?   |
| 4                  | What is the purpose of zoom option?          | Α  | Find  |
| Α                  | Enlarge and reduce document / text size      | в  | Searching text  |
| В                  | Move up and down document / picture          | С  | Replace   |
| С                  | Scroll left and light document / picture     | D  | Selecting text  |
| D                  | Minimize and maximize the document /         | 13 | Which feature is used to create a newspaper                       |
|                    | picture                                      |    | type document?  |
| 5                  | Which option is used for tab setting?        | Α  | Tables  |
| Α                  | horizontal ruler                             | В  | Tab stops   |
| В                  | status bar                                   | С  | Columns   |
| С                  | vertical ruler                               | D  | Bullets and numbering   |
| D                  | vertical scroll bar                          | 14 | Which sequence of operation is required to                        |
| 6                  | What in the purpose of vertical scroll bar?  |    | insert bullets for list of data?                                  |
| Α                  | Move the document up and down                | Α  | Paragraph group $ ightarrow$ numbering button $ ightarrow$        |
| В                  | Move the document left side                  |    | select any number type  |
| С                  | Move the document right side                 | в  | Paragraph group $\rightarrow$ number button $\rightarrow$ select  |
| D                  | Move the document only upwards               |    | none  |
| 7                  | What in the purpose of undo action in MS     | С  | Paragraph group $\rightarrow$ bullet button $\rightarrow$ type of |
|                    | Word?  |    | bullets   |
| Α                  | Restore previous action                      | D  | Paragraph group $\rightarrow$ bullet button $\rightarrow$ select  |
| В                  | Get the current action                       |    | none  |
| С                  | Goes to previous page                        |    |   |
| D                  | Goes to previous paragraph                   |    |   |
| 8                  | Which option is used to activate and         |    |   |
|                    | deactivate ruler?                            |    |   |
| Α                  | $View \to grids$                             |    |   |
| В                  | View $\rightarrow$ ruler                     |    |   |
| С                  | Insert $\rightarrow$ tool bar                |    |   |
| D                  | Insert $\rightarrow$ ruler                   |    |   |
|                    |  |    |   |
|                    |  |    |   |

- **15** Which sequence of operation is required to remove numbering from a list of data?
- A Number button → select none from number type
- **C** Bullet button  $\rightarrow$  select none from bullet type
- **D** Bullet button  $\rightarrow$  select bullets from bullets list
- **16** Which sequence of operation is required to remove tab stop markers from ruler?
- A Drag the tab stop makers out of the ruler
- **B** Double click the tab marker and clear all
- **C** Right click the tab stop marker and choose remove
- **D** Left click the tab stop marker and choose remove
- 17 Which feature is used to adjust the amount of space between words for alignment in MS Word?
- A Spacing
- B Scaling
- **C** Justifying
- **D** Positioning
- **18** Which shortcut key is used to invoke thesaurus dialog box in MS Word?
- A Shift+F7
- B Ctrl+F7
- C Alt+F7
- D Ctrl+Alt+F7

- 1 Where does the file name of the active document displays?
- A title bar
- B task bar
- **C** menu bar
- D status bar
- 2 How can we rectify the errors occurs while typing?
- A Auto entry
- B Auto add
- **C** Auto spell
- D Auto correct
- **3** Which sequence of operation is required to force page break in word document?
- A by using insert / selection black on the insert tab
- **B** by positioning the cursor at the appropriate place and press enter
- **C** by positioning the cursor at the appropriate place and press F1 key
- **D** by position the cursor at the apporpliate place and pressing ctrl + enter
- 4 What is the purpose of inserting header and footer in document?
- **A** To make the starting and ending page
- **B** To entrance the appearance of the document
- **C** To make larger document more readable
- **D** To allow page headers and footer appear on the document
- **5** What is the purpose of word wrap?
- A Aligning text with the right margin
- **B** Inserting space between paragraphs
- **C** Inserting space automatically between words
- D Moving text automatically to the next line
- 6 What is purpose of thesaurus tool is MS Word?
- A Grammar option
- B Spelling suggestion
- C Synonyms and antonyms words
- **D** Auto correction

# Module 6 : Word Processing Software - Key paper

## Questions: Level 1

#### Questions: Level 2

| SL.No       | Key    |
|-------------|--------|
| 1           | А      |
| 2           | А      |
| 2<br>3<br>4 | D      |
|             | А      |
| 5           | С      |
| 6           | C<br>C |
| 7           | А      |
| 8           | В      |
| 9           | С      |
| 10          | В      |
| 11          | С      |
| 12          | В      |
| 13          | В      |

| SL.No       | Key         |
|-------------|-------------|
| 1           | D<br>C      |
| 2           | С           |
| 2<br>3<br>4 | A<br>A<br>A |
| 4           | A           |
| 5           | A           |
| 6<br>7      | A<br>A<br>B |
|             | А           |
| 8           |             |
| 9           | A           |
| 10          | D           |
| 11          | В           |
| 12          | А           |
| 13          | С           |
| 14          | С           |
| 15          | A<br>A      |
| 16          |             |
| 17          | C<br>A      |
| 18          | A           |

| SL.No | Key |
|-------|-----|
| 1     | А   |
| 2     | D   |
| 3     | D   |
| 4     | D   |
| 5     | А   |
| 6     | С   |

# Computer Operator and Programming Assistant - 1<sup>st</sup> Semester Module 7 : Spread Sheet Application

| Que | Questions: Level 1                        |    | Which tab in Excel is used when importing,     |
|-----|---|----|--|
|     |   |    | querying, outlining and subtotaling the data   |
| 1   | How Cells are named in MS Excel?          |    | placed into a worksheet's data list?           |
| Α   | Alphabetically                            | Α  | Formula  |
| В   | Numerically                               | В  | Data   |
| С   | Alphanumerically                          | С  | Review   |
| D   | Special Character                         | D  | Insert   |
| 2   | What is the maximum limit of rows in MS   | 9  | Which tab in Excel is used for proofing,       |
|     | Excel 2010?                               |    | protecting, and marking up a spread sheet?     |
| Α   | 1084567                                   | Α  | Formula  |
| В   | 1048567                                   | В  | Data   |
| С   | 1048576                                   | С  | Review   |
| D   | 1084576                                   | D  | View   |
| 3   | What is the maximum limit of column in MS | 10 | What type of software is MS Office?            |
|     | Excel 2010?                               | Α  | Application Software                           |
| Α   | 16384                                     | В  | Operating System                               |
| В   | 16438                                     | С  | Programming Language                           |
| С   | 16843                                     | D  | System Software                                |
| D   | 16348                                     | 11 | Which tool in Ms office is best for organizing |
| 4   | Which bar lies top of the window in Excel |    | data and making lists?                         |
|     | Screen?                                   | Α  | Access   |
| Α   | Status Bar                                | в  | Excel  |
| в   | Ruler                                     | С  | Power Point                                    |
| С   | Title Bar                                 | D  | Word   |
| D   | Scroll Bar                                | 12 | What is the file extension of Excel 2010?      |
| 5   | How rows are numbered in MS Excel?        | Α  | xls  |
| Α   | Alphabetically                            | в  | xlsb   |
| в   | Numerically                               | С  | xlsm   |
| С   | Alphanumerically                          | D  | xlsx   |
| D   | Special characters                        | 13 | How does the single element in a               |
| 6   | How columns are named in MS Excel?        |    | worksheet known as in Excel?                   |
| Α   | Alphabetically                            | Α  | Cell   |
| в   | Numerically                               | в  | Column   |
| С   | Alphanumerically                          | С  | Range  |
| D   | Special characters                        | D  | Row  |
| 7   | Which tab is used to include pivot table, | 14 | What do you mean by A3,B13:B20,C7              |
|     | charts, hyperlinks to a spread sheet?     |    | reference in Excel?                            |
| Α   | Insert                                    | Α  | Range  |
| в   | Page Layout                               | в  | Union  |
| С   | Data                                      | С  | Formula  |
| D   | Review                                    | D  | General  |
|     |   |    |  |

- **15** Which type of key should combine with ctrl key to create a macro key in Excel?
- A Numeric
- B Alphabetic
- **C** Alphanumeric
- D Special characters

| Qu     | estions: Level 2  | 8       | Which function is used to add the values in a range? |
|--------|---|---------|--|
| 1      | Which bar is used to display the sheet                              | Α       | Count()  |
| -      | information and insertion point location in MS                      | В       | Sum()  |
|        | Excel?  | c       | ABS()  |
| Α      | Ruler   | D       | Sumif()  |
| В      | Scroll Bar  | 9       | which symbol is used to excute formulas in           |
| c      | Status Bar  | J       | MS Excel?  |
| D      | Title Bar   | Α       | =  |
| 2      | Which function key is used to open save as                          | B       | -<br>(   |
| -      | dialogue box in MS Excel?   | c       | #  |
| Α      | F2  | D       | "  |
| В      | F5  |         | Where does the result displays when a                |
| c      | F7  |         | formula is entered in Excel?                         |
| D      | F12   | Α       | Current Cell   |
| 3      | Which tab is used to change the display of                          | B       | Next Cell  |
| 5      | worksheet area and the data it contains?                            | C       | Previous Cell  |
| Α      | Page Layout   | D       | Formula Bar  |
| В      | Data  |         | Which function in Excel is used to find the          |
| C      | Review  | ''      |  |
| D      | View  |         | biggest value in a range?                            |
|        |   | A       | Ceiling<br>DMAX                                      |
| 4      | Which view in Excel displays the pages                              | B       | LEN  |
| ^      | exactly as they appear when printed?<br>Custom View                 | C<br>D  | MAX  |
| A<br>B | Full screen View  |         |  |
| C      | Page Break View   | 12      | Which one of the following is a text function        |
| D      | Page Layout view  |         | in MS Excel?   |
| 5      |   | A<br>B  | MID()<br>NOW()                                       |
| 5      | Which one of the following will starts with "=" sign in Excel 2010? | C       | COUNT()  |
| Α      | Data  | D       | SIGN   |
| В      | Text  |         |  |
| ~      | Numbers   | 13      | Which one of the following is a 'Date & Time'        |
| D      | Formulas  | •       | function in Excel?<br>FIND()                         |
| 6      | Which tab is used for creating, formatting                          | A<br>B  | MOD()  |
| 0      | and editing a spreadsheet?  | C       | NOW()  |
| ۸      | Data  | D       | MID()  |
| A<br>B | Home  |         | v  |
| С<br>С | Insert  | 14      | Which function is used to find the middle            |
| D      | Review  |         | number in a range?                                   |
| 7      | Which function is used to count the number                          | A<br>B  | MEDIAN()   |
| 1      |   |         |  |
| ٨      | of cells that contain numbers, in a range?                          | C       | TRIM()   |
| A      | Count ()  | D<br>45 | MODE()   |
| B<br>C | Countif()   | 15      | What is the purpose 'Tab' key in MS Excel?           |
| _      | Sum()   |         | Moves cell pointer to previous column                |
| D      | Sumif()   | B       | Moves cell pointer to next column                    |
|        |   | C       | Moves cell pointer previous row                      |
|        |   | D       | Moves cell pointer next row                          |

| 16 | What is the purpose of 'Enter Key' in MS     |
|----|--|
|    | Excel?                                       |
| Α  | Moves cell pointer to previous column        |
| В  | Moves cell pointer to next column            |
| С  | Moves cell pointer to previous row           |
| D  | Moves cell pointer to next row               |
| 17 | Which function key is used to open goto      |
|    | dialogue box in MS Excel?                    |
| Α  | F2   |
| В  | F5   |
| С  | F7   |
| D  | F11  |
| 18 | Which option in MS Excel is used to display  |
|    | the rows that meet certain conditions?       |
| Α  | Find   |
| В  | Filter                                       |
| С  | Format                                       |
| D  | Sort   |
| 19 | Which option in Excel is used to rearrange   |
|    | the rows base on the content of a particular |
|    | column?                                      |
| Α  | Find   |
| В  | Filter                                       |
| С  | Sort   |
| D  | Format                                       |
| 20 | Which type of addressing is used to keep     |
|    | rows constant and column changes and vice    |
|    | versa while copying a formula from one area  |
|    | of the worksheet to another in Excel?        |
| Α  | Mixed  |
| В  | General                                      |
| С  | Relative                                     |
| D  | Absolute                                     |
|    |  |

| Que      | estions: Level 3  |
|----------|---|
| 4        | Which one of the following is 'ne argument'                   |
| 1        | Which one of the following is 'no argument' function?         |
| Α        | Now()   |
| В        | Lower()   |
| C        | Max()   |
| D        | IF()  |
| 2        | Which key is used to move the insertion                       |
|          | point to the beginning of the current sheet?                  |
| Α        | Pageup  |
| в        | Home  |
| С        | Ctrl + pageup   |
| D        | Ctrl + Home   |
| 3        | Which sequence of operation is used to                        |
|          | insert the hidden formula bar in Excel                        |
|          | worksheet?  |
| Α        | View $\rightarrow$ Show/hide $\rightarrow$ Formula bar        |
| В        | Insert $\rightarrow$ show/hide $\rightarrow$ Formula bar      |
| С        | Data $\rightarrow$ show/hide $\rightarrow$ Formula bar        |
| D        | Home $\rightarrow$ show/hide $\rightarrow$ formula bar        |
| 4        | Which option is used to change the                            |
|          | direction where the cursor moves when you                     |
|          | press the enter key in Excel?                                 |
| Α        | Excel options $\rightarrow$ Advance $\rightarrow$ Enable auto |
|          | complete for cell values                                      |
| В        | Excel options $\rightarrow$ Advance $\rightarrow$ Extend data |
| -        | range formats   |
| С        | Excel options $\rightarrow$ Advance $\rightarrow$ choose      |
|          | direction by clicking down arrow next to                      |
| <b>D</b> | check box   |
| D        | Excel options $\rightarrow$ Advance $\rightarrow$ Enable fill |
|          | handle and cell drag and drop                                 |
| 5        | Which key is used to make multiple line in a                  |
| ۸        | single cell?  |
| A        | Alt+ ↓  |
| B        | Tab+₊J  |
| С        | Ctrl+ ₊J  |

D Shift+ , J

# Module 7 : Spread Sheet Application - Key paper

## Questions: Level 1

#### Questions: Level 2

| SL.No                 | Key                   |
|-----------------------|-----------------------|
| 1                     | С                     |
| 2                     | С                     |
| 1<br>2<br>3<br>4<br>5 | C<br>C<br>A<br>C<br>B |
| 4                     | С                     |
| 5                     |                       |
| 6<br>7                | А                     |
|                       | А                     |
| 8                     | В                     |
| 9                     | С                     |
| 10                    | А                     |
| 11                    | В                     |
| 12                    | D                     |
| 13                    | А                     |
| 14                    | А                     |
| 15                    | В                     |

| SL.No       | Кеу                   |
|-------------|-----------------------|
| 1           | C<br>D<br>D<br>D<br>D |
| 1<br>2<br>3 | D                     |
| 3           | D                     |
| 4           | D                     |
| 5           | D                     |
| 6           | В                     |
| 7           | A                     |
| 8           | В                     |
| 9           | А                     |
| 10          | A                     |
| 11          | D                     |
| 12          | A                     |
| 13          | С                     |
| 14          | A                     |
| 15          | В                     |
| 16          | D                     |
| 17          | В                     |
| 18          | В                     |
| 19          | С                     |
| 20          | A                     |

| SL.No | Key |
|-------|-----|
| 1     | A   |
| 2     | D   |
| 3     | A   |
| 4     | С   |
| 5     | A   |

# Computer Operator and Programming Assistant - 1<sup>st</sup> Semester Module - 8 : Image Editing, Presentation

| Which item, contains text graphics, charts,<br>sound, video, etc., in power point<br>Slides<br>Folder<br>Handouts<br>Desktop screen<br>Which contains miniature representation of<br>slides?<br>Slides<br>Handout<br>Template<br>Slide master<br>Which button is used to add instant<br>animation to the presentation and helps<br>nteractive presentation?<br>Add button<br>Start button<br>Insert button | A<br>B<br>C<br>D<br>8<br>A<br>B<br>C<br>D<br>9<br>A<br>B<br>C<br>D<br>10   | presentation in powerpoint?<br>Ctrl + P<br>Ctrl + N<br>Ctrl + M<br>Ctrl + X<br>How many panes are these in backstage view in<br>power point 2010?<br>3<br>5<br>7<br>9<br>Which menu is used to apply various effect<br>to the text in a slide?<br>Animation<br>Design<br>Transitions<br>Slide show<br>Which menu is used to apply various visual           |
|--|--|--|
| sound, video, etc., in power point<br>Slides<br>Folder<br>Handouts<br>Desktop screen<br>Which contains miniature representation of<br>slides?<br>Slides<br>Handout<br>Template<br>Slide master<br>Which button is used to add instant<br>animation to the presentation and helps<br>nteractive presentation?<br>Add button<br>Start button<br>nsert button   | B<br>C<br>D<br>8<br>A<br>B<br>C<br>D<br>9<br>A<br>B<br>C<br>D  | Ctrl + N<br>Ctrl + M<br>Ctrl + X<br>How many panes are these in backstage view in<br>power point 2010?<br>3<br>5<br>7<br>9<br>Which menu is used to apply various effect<br>to the text in a slide?<br>Animation<br>Design<br>Transitions<br>Slide show  |
| Slides<br>Folder<br>Handouts<br>Desktop screen<br>Which contains miniature representation of<br>slides?<br>Slides<br>Handout<br>Template<br>Slide master<br>Which button is used to add instant<br>animation to the presentation and helps<br>interactive presentation?<br>Add button<br>Start button<br>insert button   | C<br>D<br>8<br>A<br>B<br>C<br>D<br>9<br>A<br>B<br>C<br>D   | Ctrl + M<br>Ctrl + X<br>How many panes are these in backstage view in<br>power point 2010?<br>3<br>5<br>7<br>9<br>Which menu is used to apply various effect<br>to the text in a slide?<br>Animation<br>Design<br>Transitions<br>Slide show  |
| Folder<br>Handouts<br>Desktop screen<br>Which contains miniature representation of<br>slides?<br>Slides<br>Handout<br>Template<br>Slide master<br>Which button is used to add instant<br>animation to the presentation and helps<br>nteractive presentation?<br>Add button<br>Start button<br>nsert button   | D<br>8<br>A<br>B<br>C<br>D<br>9<br>A<br>B<br>C<br>D  | Ctrl + X<br>How many panes are these in backstage view in<br>power point 2010?<br>3<br>5<br>7<br>9<br>Which menu is used to apply various effect<br>to the text in a slide?<br>Animation<br>Design<br>Transitions<br>Slide show  |
| Handouts<br>Desktop screen<br>Which contains miniature representation of<br>slides?<br>Slides<br>Handout<br>Template<br>Slide master<br>Which button is used to add instant<br>animation to the presentation and helps<br>nteractive presentation?<br>Add button<br>Start button<br>nsert button   | A<br>B<br>C<br>D<br>9<br>A<br>B<br>C<br>D  | How many panes are these in backstage view in<br>power point 2010?<br>3<br>5<br>7<br>9<br>Which menu is used to apply various effect<br>to the text in a slide?<br>Animation<br>Design<br>Transitions<br>Slide show  |
| Desktop screen<br>Which contains miniature representation of<br>slides?<br>Slides<br>Handout<br>Template<br>Slide master<br>Which button is used to add instant<br>animation to the presentation and helps<br>nteractive presentation?<br>Add button<br>Start button<br>nsert button   | A<br>B<br>C<br>D<br>9<br>A<br>B<br>C<br>D  | power point 2010?<br>3<br>5<br>7<br>9<br>Which menu is used to apply various effect<br>to the text in a slide?<br>Animation<br>Design<br>Transitions<br>Slide show   |
| Which contains miniature representation of<br>slides?<br>Slides<br>Handout<br>Template<br>Slide master<br>Which button is used to add instant<br>animation to the presentation and helps<br>nteractive presentation?<br>Add button<br>Start button<br>nsert button   | B<br>C<br>D<br>9<br>A<br>B<br>C<br>D   | 3<br>5<br>7<br>9<br>Which menu is used to apply various effect<br>to the text in a slide?<br>Animation<br>Design<br>Transitions<br>Slide show  |
| slides?<br>Slides<br>Handout<br>Template<br>Slide master<br>Which button is used to add instant<br>animation to the presentation and helps<br>nteractive presentation?<br>Add button<br>Start button<br>Insert button  | B<br>C<br>D<br>9<br>A<br>B<br>C<br>D   | 5<br>7<br>9<br>Which menu is used to apply various effect<br>to the text in a slide?<br>Animation<br>Design<br>Transitions<br>Slide show   |
| Slides<br>Handout<br>Template<br>Slide master<br>Which button is used to add instant<br>animation to the presentation and helps<br>nteractive presentation?<br>Add button<br>Start button<br>nsert button  | C<br>D<br>9<br>A<br>B<br>C<br>D  | 7<br>9<br>Which menu is used to apply various effect<br>to the text in a slide?<br>Animation<br>Design<br>Transitions<br>Slide show  |
| Handout<br>Template<br>Slide master<br>Which button is used to add instant<br>animation to the presentation and helps<br>nteractive presentation?<br>Add button<br>Start button<br>nsert button  | D<br>9<br>A<br>B<br>C<br>D   | 9<br>Which menu is used to apply various effect<br>to the text in a slide?<br>Animation<br>Design<br>Transitions<br>Slide show   |
| Template<br>Slide master<br>Which button is used to add instant<br>animation to the presentation and helps<br>nteractive presentation?<br>Add button<br>Start button<br>nsert button   | 9<br>A<br>B<br>C<br>D  | Which menu is used to apply various effect<br>to the text in a slide?<br>Animation<br>Design<br>Transitions<br>Slide show  |
| Slide master<br>Which button is used to add instant<br>animation to the presentation and helps<br>nteractive presentation?<br>Add button<br>Start button<br>nsert button   | A<br>B<br>C<br>D   | to the text in a slide?<br>Animation<br>Design<br>Transitions<br>Slide show  |
| Which button is used to add instant<br>animation to the presentation and helps<br>nteractive presentation?<br>Add button<br>Start button<br>nsert button   | B<br>C<br>D  | Animation<br>Design<br>Transitions<br>Slide show   |
| animation to the presentation and helps<br>nteractive presentation?<br>Add button<br>Start button<br>nsert button  | B<br>C<br>D  | Design<br>Transitions<br>Slide show  |
| nteractive presentation?<br>Add button<br>Start button<br>nsert button   | C<br>D   | Transitions<br>Slide show  |
| Add button<br>Start button<br>nsert button   | D  | Slide show   |
| Start button<br>nsert button   |  |  |
| nsert button   | 10   | Which menu is used to apply various visual   |
|  |  | The decide of apply talled the data  |
| Action button  |  | effects to the slide in power point?   |
|  | Α  | Animation  |
| What type of software program is power   | в  | Design   |
| point?   | С  | Slide show   |
|  | D  | Transitions  |
| Spread Sheet   | 11   | Which menu is used to select a predefined  |
| •  |  | chart style?   |
|  | Α  | Animation  |
|  | в  | Design   |
|  | С  | Slide show   |
| -  | D  | Transitions  |
|  |  |  |
|  |  |  |
|  |  |  |
| -  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  |  |  |
|  | Word Processor         Spread Sheet         Presentation Graphics         Database Management         Which tool allows user to select different         ayout for slide?         Apply design         Bullets         New slide         Slide Layout         Which key is used to stop a power point         oresentation?         ESC         Fab         Ctrl         Enter | Word Processor     D       Spread Sheet     11       Presentation Graphics     A       Database Management     A       Which tool allows user to select different ayout for slide?     B       Apply design     D       Bullets     D       New slide     Slide Layout       Which key is used to stop a power point presentation?     ESC       Tab     C |

| 1 |   | -        |   |
|---|---|----------|---|
| 1 |   | 8        | Which holder holds text, title and picture in |
|   | Which template makes specify common           |          | power point?                                  |
|   | design elements in all slides in the          | Α        | Contemt Holder                                |
|   | presentation?                                 | в        | Image Holder                                  |
| Α | Fax template                                  | С        | Place Holder                                  |
| В | User template                                 | D        | Slide Holder                                  |
| С | Data template                                 | 9        | Which one of the following is extension of    |
| D | Master template                               |          | power point 2010 presentation file?           |
| 2 | Which dialog box in Power Point allows to     | Α        | .potx   |
|   | change slides automatically in a period of    | в        | .pptx   |
|   | time?   | С        | .ppsx   |
| Α | Action setting                                | D        | .thmx   |
| В | Slide transition                              | 10       | Which option is used to insert the related    |
| С | Slide animation                               |          | hints of a slide?                             |
| D | Custom animation                              | Α        | Note Master                                   |
| 3 | Which shortcut key is used to invoke          | в        | Presentation Master                           |
|   | thesaurus dialog box in Power Point?          | С        | Slide Master                                  |
| Α | Shift+F7                                      | D        | Hints Master                                  |
| в | Ctrl+F7                                       | 11       | Which combination of key is used to select    |
| С | Alt+F7  |          | all slides from current slide to first slide? |
| D | Ctrl+Alt+F7                                   | Α        | Alt + Home                                    |
| 4 | Which option is used to create a              | В        | Ctrl + Home                                   |
|   | presentation automatically in Power Point?    | С        | Shift + Home                                  |
| Α | Template                                      | D        | Tab + Home                                    |
| в | Blank Presentation                            | 12       | Which view hides the hidden slides in Power   |
| С | Auto content wizard                           |          | Point?  |
| D | Standard test bar                             | A        | Normal  |
| 5 | Which option offers a built in design through | B        | Notes Page                                    |
|   | a dialog box?                                 | C        | Reading view                                  |
| Α | Auto content wizard                           | D        | Slide Sorter                                  |
| в | Blank Presentation                            | 13       | Which option is used to display the selected  |
| С | Standard tool bar                             |          | slides only for presentation?                 |
| D | Template                                      | Α        | From Beginning                                |
| 6 | Which function key is used to run a           | B        | From current slide                            |
| - | powerpoint presentation?                      | C        | Broadcast slide show                          |
| Α | F3  | <u>D</u> | Custom slide show                             |
| В | F5  | 14       | Which one of the following is a effect option |
| С | F7  |          | in power point presentation?                  |
| D | F9  | Α        | Diamond                                       |
| 7 | Which shortcut key is used to create a new    | B        | Fade  |
| - | slide in power point?                         | С        | Push  |
| Α | Ctrl + C                                      | D        | Reveal  |
| В | Ctrl + N                                      |          |   |
| c | Ctrl + M                                      |          |   |
| D | Ctrl + S                                      |          |   |

- 1 Which combination of key is used to show the laser pointer during slide show?
- A Alt + left mouse button
- **B** Alt + right mouse button
- **C** Ctrl + left mouse button
- **D** Ctrl + right mouse button

# Module 8 : Image Editing, Presentation - Key paper

## Questions: Level 1

## Questions: Level 2

| SL.No | Key |
|-------|-----|
| 1     | A   |
| 2     | В   |
| 3     | D   |
| 4     | С   |
| 5     | А   |
| 6     | А   |
| 7     | В   |
| 8     | А   |
| 9     | А   |
| 10    | D   |
| 11    | В   |

| SL.No  | Key    |
|--------|--------|
| 1      | D      |
| 2<br>3 | В      |
| 3      | А      |
| 4<br>5 | С      |
| 5      | D      |
| 6      | В      |
| 7      | C<br>C |
| 8      | С      |
| 9      | В      |
| 10     | А      |
| 11     | С      |
| 12     | С      |
| 13     | D      |
| 14     | A      |

| SL.No | Key |
|-------|-----|
| 1     | С   |

# Computer Operator and Programming Assistant 1<sup>st</sup> Semester Module 9 : Database Management Systems

| 1      | What is the maximum number of characters      |
|--------|---|
| _      | allowed in text field is access?              |
| Α      | 255   |
| В      | 256   |
| С      | 64000   |
| D      | 65000   |
| 2      | What is the expansion of OLE in Access?       |
| Α      | object linking and embedding                  |
| В      | object linking and encrypting                 |
| С      | object linking and editing                    |
| D      | objet linking                                 |
| 3      | What is the maximum length of the field       |
|        | name in Access?                               |
| Α      | 16 characters                                 |
| В      | 32 characters                                 |
| С      | 64 characters                                 |
| D      | 128 characters                                |
| 4      | Which view is used to arrange table data in   |
|        | different graphical layouts to summarize      |
|        | data?   |
| Α      | Table view                                    |
| В      | Design view                                   |
| С      | Data sheet view                               |
| D      | Pivot chart view                              |
| 5      | Which view allows to modify table's structure |
|        | in Access?                                    |
| Α      | Design view                                   |
| В      | Datasheet view                                |
| С      | Pivot table view                              |
| D      | Pivot shart view                              |
| 6      | Which object stores information about         |
|        | related data?                                 |
| Α      | Document                                      |
| В      | Table   |
|        | Table   |
| С      | Page  |
| C<br>D |   |

| 0   | estions: Level 2                               | 8  | Which validation rule allows only 0 - 9 for     |
|-----|--|----|---|
| હ્ય | C310113. LEVELZ                                | 0  | fields in Access?                               |
| 1   | Which key stoke is used to move the active     | Α  | Is Null or Not Like "*[ ! 0 - 9 ]*"             |
| •   | cell towards right, in access table?           | В  | Is Null or Not Like "[! 0 - 9]"                 |
| Α   | Ctrl + Tab                                     | c  | Is Null or Not Like "*[0 - 9]*"                 |
| В   | Alt + Tab                                      | D  | Is Null or Not Like "*[!0-9]*"                  |
| c   | Tab  | 9  | Which validation rule allows only positive      |
| D   | Shift + Tab                                    | 3  | numbers for fields in?                          |
| 2   | Which key stoke moves the active cell          | Α  | Is Null or $> = 0$                              |
| -   | towards left in Access table?                  | B  | Is Null or Positive                             |
| Α   | F2   | c  | Is Null or $< 0$                                |
| В   | F5   | D  | Is Null or = " $+$ "                            |
| C   | Tab  |    | What is allowed the input mark symbol # in      |
| D   | Shift + Tab                                    | 10 | Access?   |
| 3   | Which combination of key zooms the content     | Α  | Letter or digit                                 |
| ·   | of active cell in Access table?                |    | Letter A through Z                              |
| Α   | Ctrl + F2                                      | С  | A digit 0 - 9 with +/- sign                     |
| в   | Ctrl + F5                                      | D  | A digit 0 - 9 without +/- sign                  |
| С   | Shift + F2                                     | 11 | Which validation rule allows exactly digits for |
| D   | Shift + F5                                     |    | number fields in Access?                        |
| 4   | Which combination of key allows user to        | Α  | Is Null or Between 100000 and 99999             |
|     | move to the first field in the first record in | в  | Is Null or Like "????"                          |
|     | Access table?                                  | С  | Is Null or >= 0 AND< = 99999                    |
| Α   | Ctrl + Tab                                     | D  | Is Null or < = 99999                            |
| В   | Shift +Tab                                     |    | <u> </u>  |
| С   | Shift + Home                                   |    |   |
| D   | Ctrl + Home                                    |    |   |
| 5   | Which command quickly locates the data is      |    |   |
|     | Access table?                                  |    |   |
| Α   | Find   |    |   |
| В   | Locate   |    |   |
| С   | Search   |    |   |
| D   | Edit   |    |   |
| 6   | Which technique prevents invalid data being    |    |   |
|     | saved in Access table?                         |    |   |
| Α   | Index  |    |   |
| В   | Filter   |    |   |
| С   | Validation rule                                |    |   |
| D   | Input mark                                     |    |   |
| 7   | Which validation rule accepts only a - z       |    |   |
|     | letters for fields in Access?                  |    |   |
| A   | Is null or NOT like "*[! a - z]*"              |    |   |
| B   | Is null or NOT like "*[a - z ]*"               |    |   |
| C   | Is null or NOT like "*![a - z]*"               |    |   |
| D   | Is null or NOT like "[! a - z]"                |    |   |
|     |  |    |   |
|     |  |    |   |
|     |  |    |   |
|     |  |    |   |
|     |  |    |   |

- 1 What is the output when the data '1678.95' is set to the number format '###0.00' in Access?
- **A** 1670.00
- **B** 1670.95
- **C** 1678.00
- **D** 1678.95
- 2 Which of the following is a valid time format is Access?
- A hh:mm:ss AM/PM
- B hh.mm.ss AM/PM
- C hh-mm-ss AM/PM
- D hh/mm/ss AM/PM
- 3 Write the output when the data 'Primary Key' is set to the text < in Access?
- A Primary key
- B primary key
- C PRIMARY KEY
- D Primary Key
- 4 What is the output when the data "FOREIGN key' is set to the text format > in Access?
- A foreign key
- **B** FOREIGN KEY
- C Foreign Key
- D Foreign key
- 5 What is the reason for not accepting zero in the fields of Access tables?
- **A** Fields is set with is Null or > 0
- **B** Fields is set with is Null or < = 0
- **C** Fields is set with is Null or! [0]
- D Fields is set with is Null or like "?"

# Module 9 : Database Management Systems - Key paper

## Questions: Level 1

## Questions: Level 2

| SL.No | Key |
|-------|-----|
| 1     | А   |
| 2     | A   |
| 3     | С   |
| 4     | D   |
| 5     | A   |
| 6     | В   |

| SL.No | Key |
|-------|-----|
| 1     | С   |
| 2     | D   |
| 3     | С   |
| 4     | D   |
| 5     | A   |
| 6     | С   |
| 7     | А   |
| 8     | D   |
| 9     | А   |
| 10    | С   |
| 11    | С   |

| SL.No | Key |
|-------|-----|
| 1     | D   |
| 2     | A   |
| 3     | В   |
| 4     | В   |
| 5     | А   |

# Computer Operator and Programming Assistant 1<sup>st</sup> Semester Module 10 & 11 : Networking Concepts & Internet Concepts

| Qu | estions: Level 1  | 8  | What is the full form of EFT?        |
|----|---|----|--------------------------------------|
| _  |   | Α  | Electronic Form Transfer             |
| 1  | Which layer in OSI model performs network               | В  | Electronic Fund Transfer             |
|    | routing, flow control and error control                 | С  | Electronic Field Transfer            |
|    | function?   | D  | Electronic Format Transfer           |
| Α  | Network layer   | 9  | Which is an example for WAN?         |
| В  | Session layer   | Α  | Ethernet                             |
| С  | Physical layer  | в  | Home network                         |
| D  | Data link layer   | С  | Campus network                       |
| 2  | What is the full form of IP?                            | D  | Bluetooth network                    |
| Α  | internet protect  | 10 | What is the full form of ADSL?       |
| В  | intranet protocol                                       | Α  | Asymmetrical Digital System Line     |
| С  | internet protocol                                       | в  | Automatic Digital Subscriber Line    |
| D  | international protocol                                  | С  | Asymmetrical Digital Subscriber Line |
| 3  | What is the full form of TCP?                           | D  | Asynchronous Digital Subscriber Line |
| Α  | Test Control Protocol                                   | 11 | Which is the layer 3 in OSI model?   |
| В  | Transfer Control Protocol                               | Α  | Network layer                        |
| С  | Transport Control Protocol                              | в  | Session layer                        |
| D  | Transmission Control Protocol                           | С  | Physical layer                       |
| 4  | Which layer is the layer 2 in OSI network               | D  | Data link layer                      |
|    | model?  |    |                                      |
| Α  | Session layer   |    |                                      |
| в  | Physical layer  |    |                                      |
| С  | Data link layer   |    |                                      |
| D  | Transport layer   |    |                                      |
| 5  | Which layer is the layer 4 in OSI model?                |    |                                      |
| Α  | Session layer   |    |                                      |
| в  | Network layer   |    |                                      |
| С  | Data link layer   |    |                                      |
| D  | Transport layer   |    |                                      |
| 6  | Which is the 6 <sup>th</sup> layer in OSI communication |    |                                      |
|    | model?  |    |                                      |
| Α  | Session layer   |    |                                      |
| В  | Network layer   |    |                                      |
| С  | Application layer                                       |    |                                      |
| D  | Presentation layer                                      |    |                                      |
| 7  | What is the abbreviation of OSI?                        |    |                                      |
| A  | Open Source Internet                                    |    |                                      |
| В  | Open System Interaction                                 |    |                                      |
| c  | Open Source Interconnection                             |    |                                      |
| D  | Open System Interconnection                             |    |                                      |
|    |   |    |                                      |
|    |   |    |                                      |
|    |   |    |                                      |
|    |   |    |                                      |

| <u></u> | actiona: Loval 2                              | 0  | Which lover of OSI Medel transfer data                            |
|---------|---|----|---|
| QU      | estions: Level 2                              | 8  | Which layer of OSI Model, transfer data between network entities? |
| 1       | Which is a reference tool for understanding   | Α  | Layer 1   |
| •       | data communication between any two            | B  | Layer 2   |
|         | network system?                               | C  | Layer 3   |
| •       | LAN   | D  | •   |
| A<br>B  | WAN   |    | Layer 4   |
| Б<br>С  | ISO model                                     | 9  | Which device connects multiple network                            |
| D       | OSI model                                     | •  | segments along with the data link layer?                          |
|         |   | A  | Hub   |
| 2       | What is called the interconnected computer    | B  | Bridge  |
| •       | systems located at different places?          | C  | Router  |
| A       | internet                                      | D  | Switch  |
| B       | computer layout                               | 10 | Which device is used to amplify or                                |
| C       | computer network                              |    | regenerate digital signals received while                         |
| D       | connectivity of computer                      |    | sending them from one port of a network into                      |
| 3       | Which topology combines characteristics of    |    | another?  |
| _       | linear bus and star topologies?               | Α  | Hub   |
| Α       | Bus   | В  | Bridge  |
| В       | Star  | С  | Switch  |
| С       | Tree  | D  | Repeater  |
| D       | Mesh  | 11 | Which device modulates analog signal to                           |
| 4       | How many pairs of wires contains in           |    | encode digital information and demodulates                        |
|         | category 5 UTP cable?                         |    | carrier signal to decode the transmitted                          |
| Α       | 3   |    | information over the telephone network?                           |
| В       | 4   | Α  | Hub   |
| С       | 5   | В  | Bridge  |
| D       | 6   | С  | Switch  |
| 5       | What is the maximum speed supported by        | D  | MODEM   |
|         | category 5 UTP cable?                         | 12 | Which device is used to connect one network                       |
| Α       | 1mbps   |    | with another network that uses different                          |
| В       | 10mbps  |    | protocols?  |
| С       | 100mbps                                       | Α  | Hub   |
| D       | 1000mbps                                      | в  | Router  |
| 6       | Which of the following cable transmits        | С  | Switch  |
|         | messages in the form of light waves?          | D  | Gateway   |
| Α       | STP cable                                     | 13 | Which device forwards data packet between                         |
| В       | UTP cable                                     |    | computer network?   |
| С       | Co-axial cable                                | Α  | Hub   |
| D       | Optical fibre cable                           | в  | Router  |
| 7       | Which device is installed in a subscriber's   | С  | Switch  |
|         | telephone line to allow both ADSI and regular | D  | Gateway   |
|         | voice (telephone) services to be used at the  | 14 | What is the speed of standard 10 base T                           |
|         | same time?                                    |    | cable?  |
| Α       | Hub   | Α  | 1 mbps  |
| В       | Switch  | в  | 10 mbps   |
| С       | MODEM   | С  | 100 kbps  |
| D       | Micro filter                                  | D  | 100 mbps  |
|         |   |    | · · · ·   |
|         |   |    |   |

| 15 | Which type of cable is used in 10 base-FL      |  |
|----|--|--|
|    | cable standard?                                |  |
| Α  | UTP  |  |
| В  | STP  |  |
| С  | Co-axial                                       |  |
| D  | Fibre optic                                    |  |
| 16 | What is the speed of 100BASE-TX cable?         |  |
| Α  | 1 mbps   |  |
| В  | 10 mbps  |  |
| С  | 100 kbps                                       |  |
| D  | 100 mbps                                       |  |
| 17 | Which is the standard connector for            |  |
|    | category-5, unshielded twisted pair cabling?   |  |
| Α  | RJ11   |  |
| В  | RJ14   |  |
| С  | RJ25   |  |
| D  | RJ45   |  |
| 18 | How many pairs of wires are there in           |  |
|    | category 1 UTP cables?                         |  |
| Α  | 1  |  |
| В  | 2  |  |
| С  | 3  |  |
| D  | 4  |  |
| 19 | Which is an application layer of internet      |  |
|    | standard protocol used by local e-mail clients |  |
|    | to retrieve e-mail from a remote server over   |  |
|    | a TCP/IP connection?                           |  |
| Α  | IP   |  |
| В  | FTP  |  |
| С  | UDP  |  |
| D  | POP  |  |

| Qu | Questions: Level 3                              |  |  |  |
|----|---|--|--|--|
| -  |   |  |  |  |
| 1  | Which layer in OSI model provides transfer      |  |  |  |
| _  | the data between end users?                     |  |  |  |
| Α  | Session layer                                   |  |  |  |
| В  | Network layer                                   |  |  |  |
| C  | Data link layer                                 |  |  |  |
| D  | Transport layer                                 |  |  |  |
| 2  | What is the purpose of the last three layers    |  |  |  |
|    | in OSI model?                                   |  |  |  |
| Α  | common application services                     |  |  |  |
| В  | data presentation within the end-user system    |  |  |  |
| С  | passing traffic through the network to an end   |  |  |  |
| _  | system  |  |  |  |
| D  | manage the dialogue between end user            |  |  |  |
|    | application process                             |  |  |  |
| 3  | Which layers of OSI model is the router         |  |  |  |
|    | operate?  |  |  |  |
| Α  | Layer 2   |  |  |  |
| В  | Layer 3   |  |  |  |
| С  | Layer 6   |  |  |  |
| D  | Layer 7   |  |  |  |
| 4  | Which layer of OSI network model does           |  |  |  |
|    | repeater works?                                 |  |  |  |
| Α  | Layer 1   |  |  |  |
| В  | Layer 2   |  |  |  |
| С  | Layer 3   |  |  |  |
| D  | Layer 4   |  |  |  |
| 5  | Which is a standard network protocol used to    |  |  |  |
|    | transfer files from one host or to another host |  |  |  |
|    | over a TCP based network, such as the           |  |  |  |
|    | internet?                                       |  |  |  |
| Α  | FTP   |  |  |  |
| B  | TCP   |  |  |  |
| C  | UDP   |  |  |  |
| D  | SMTP  |  |  |  |
| 6  | Which is a network protocol used on the         |  |  |  |
|    | internet or LAN to provide a bi-directional     |  |  |  |
|    | interactive text oriented communication         |  |  |  |
| -  | facility using a virtual terminal connection?   |  |  |  |
| A  | FTP   |  |  |  |
| B  | TCP   |  |  |  |
| C  | UDP   |  |  |  |

D Telnet

### Module 10 & 11 : Networking Concepts & Internet Concepts - Key paper

### Questions: Level 1

#### Questions: Level 2

| SL.No | Key |
|-------|-----|
| 1     | А   |
| 2     | С   |
| 3     | D   |
| 4     | С   |
| 5     | D   |
| 6     | D   |
| 7     | D   |
| 8     | В   |
| 9     | А   |
| 10    | С   |
| 11    | А   |

| SL.No | Key                                  |
|-------|--------------------------------------|
| 1     | D                                    |
| 2     | D<br>C<br>B<br>C<br>D<br>D<br>D<br>D |
| 3     | С                                    |
| 4     | В                                    |
| 5     | С                                    |
| 6     | D                                    |
| 7     | D                                    |
| 8     |                                      |
| 9     | В                                    |
| 10    | D                                    |
| 11    | D                                    |
| 12    | D                                    |
| 13    | В                                    |
| 14    | В                                    |
| 15    | D                                    |
| 16    | С                                    |
| 17    | D                                    |
| 18    | А                                    |
| 19    | D                                    |

| SL.No | Key |
|-------|-----|
| 1     | D   |
| 2     | С   |
| 3     | В   |
| 4     | A   |
| 5     | A   |
| 6     | D   |

# Computer Operator and Programming Assistant - 1<sup>st</sup> Semester Module - 12: Designing Static WebPages

| વપ | estions: Level 1   | 8 | What is the another name of web address? |
|----|--|---|--|
|    |  | Α | URL                                      |
| 1  | What is the first tag in html document?  | в | Html                                     |
| Α  | <html></html>  | С | Http                                     |
| В  | <head></head>  | D | Webpage                                  |
| С  | <title>&lt;/th&gt;&lt;th&gt;9&lt;/th&gt;&lt;th&gt;What are the two main parts, available in&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;D&lt;/th&gt;&lt;th&gt;&lt;/html&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;html document?&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;2&lt;/th&gt;&lt;th&gt;The &lt;b&gt; tag makes the enclosed text bold,&lt;/th&gt;&lt;th&gt;Α&lt;/th&gt;&lt;th&gt;Title and Body&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;which other html tag is used to make text&lt;/th&gt;&lt;th&gt;в&lt;/th&gt;&lt;th&gt;Head and title&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;bold?&lt;/th&gt;&lt;th&gt;С&lt;/th&gt;&lt;th&gt;Head and Body&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;Α&lt;/th&gt;&lt;th&gt;&lt;dark&gt;&lt;/th&gt;&lt;th&gt;D&lt;/th&gt;&lt;th&gt;Head and document&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;В&lt;/th&gt;&lt;th&gt;&lt;bold&gt;&lt;/th&gt;&lt;th&gt;10&lt;/th&gt;&lt;th&gt;Which character in html is used to indicate&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;С&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;end tag?&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;D&lt;/th&gt;&lt;th&gt;&lt;strong&gt;&lt;/th&gt;&lt;th&gt;Α&lt;/th&gt;&lt;th&gt;\&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;3&lt;/th&gt;&lt;th&gt;Which html tag is used to display a picture&lt;/th&gt;&lt;th&gt;в&lt;/th&gt;&lt;th&gt;1&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;in a web page?&lt;/th&gt;&lt;th&gt;С&lt;/th&gt;&lt;th&gt;!&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;Α&lt;/th&gt;&lt;th&gt;&lt;src&gt;&lt;/th&gt;&lt;th&gt;D&lt;/th&gt;&lt;th&gt;&lt;#&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;в&lt;/th&gt;&lt;th&gt;&lt;img&gt;&lt;/th&gt;&lt;th&gt;11&lt;/th&gt;&lt;th&gt;Which symbols starts with html comments?&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;С&lt;/th&gt;&lt;th&gt;&lt;img src&gt;&lt;/th&gt;&lt;th&gt;Α&lt;/th&gt;&lt;th&gt;&lt;!&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;D&lt;/th&gt;&lt;th&gt;&lt;image&gt;&lt;/th&gt;&lt;th&gt;в&lt;/th&gt;&lt;th&gt;&lt;/&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;4&lt;/th&gt;&lt;th&gt;what is the full form of HTTP?&lt;/th&gt;&lt;th&gt;С&lt;/th&gt;&lt;th&gt;&lt;#&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;Α&lt;/th&gt;&lt;th&gt;Hyper text testing protocol&lt;/th&gt;&lt;th&gt;D&lt;/th&gt;&lt;th&gt;&lt; &lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;в&lt;/th&gt;&lt;th&gt;Hyper text transfer protocol&lt;/th&gt;&lt;th&gt;12&lt;/th&gt;&lt;th&gt;Which is used to publish the webpage to a&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;С&lt;/th&gt;&lt;th&gt;Hyper test transfer protocol&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;web hosting server?&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;D&lt;/th&gt;&lt;th&gt;Hyper text transfer program&lt;/th&gt;&lt;th&gt;Α&lt;/th&gt;&lt;th&gt;Http&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;5&lt;/th&gt;&lt;th&gt;Which html tag inserts a line horizontally in&lt;/th&gt;&lt;th&gt;в&lt;/th&gt;&lt;th&gt;Php&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;a page?&lt;/th&gt;&lt;th&gt;С&lt;/th&gt;&lt;th&gt;Kompozer&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;Α&lt;/th&gt;&lt;th&gt;&lt;li&gt;&lt;/li&gt;&lt;/th&gt;&lt;th&gt;D&lt;/th&gt;&lt;th&gt;Blogger&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;В&lt;/th&gt;&lt;th&gt;&lt; &gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;С&lt;/th&gt;&lt;th&gt;&lt;hr&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;D&lt;/th&gt;&lt;th&gt;&lt;li&gt;line&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;6&lt;/th&gt;&lt;th&gt;What is the full form of CSS?&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;A&lt;/th&gt;&lt;th&gt;Computer style sheet&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;в&lt;/th&gt;&lt;th&gt;Cascading style sheet&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;С&lt;/th&gt;&lt;th&gt;Cascading system style&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;D&lt;/th&gt;&lt;th&gt;Customized style sheet&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;7&lt;/th&gt;&lt;th&gt;Which html tag is the smallest heading?&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;Α&lt;/th&gt;&lt;th&gt;&lt;h1&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;В&lt;/th&gt;&lt;th&gt;&lt;h2&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;&lt;h6&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;С&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;1&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;/tr&gt;&lt;/tbody&gt;&lt;/table&gt;</title> |   |  |

| Questions: Level 2 |  | 8  | What is the correct syntax for making a        |
|--------------------|--|----|--|
| _                  |  |    | hyperlink?                                     |
| 1                  | Which attribute is used with  tag to   | Α  | <http: a="" nimi.gov.in"<=""></http:>          |
| _                  | merge two cells horizontally?  | В  | <url "http:="" =="" nimi.gov.in"="">nimi</url> |
| Α                  | Colspan = 2  | С  | <a href="http:// nimi.gov.in">nimi</a>         |
| В                  | Rowspan = 2  | D  | <a ref="http:// nimi.gov.in">nimi</a>          |
| С                  | Mergerows  | 9  | Which is the correct tag for adding iframe in  |
| D                  | mergecols  |    | html?  |
| 2                  | Which tag creates a checkbox for a form in   | Α  | <iframe http:="" nimi.gov.in=""> </iframe>     |
|                    | html?  | В  | <iframe ="http:="" nimi.gov.in"=""></iframe>   |
| Α                  | <check box=""></check>   | С  | <iframe src="http://nimi.gov.in"></iframe>     |
| В                  | <input box="" check=""/>   | D  | <iframe href="http: //nimi.gov.in"></iframe>   |
| С                  | <input =="" box="" check=""/>  |    |  |
| D                  | <input type="check box"/>  | 10 | what is the correct html tag for adding a      |
| 3                  | Which html tag is used to add a row in a   |    | background color?                              |
|                    | table?   | Α  | <body color="Yellow"></body>                   |
| Α                  | and  | в  | <body bgcolor="Yellow"></body>                 |
| В                  | <cr> and </cr>   | С  | <body background="Yellow"></body>              |
| С                  | and  | D  | <body bg="Yellow"></body>                      |
| D                  | and  | 11 | How do you add a link which will allow the     |
| 4                  | Which html tag is used to divide a row into  |    | visitor to send an email from the page?        |
|                    | data cells?  | Α  | <a href="mailto : youradderss"></a>            |
| Α                  | and  | в  | <a href="sendmailtoyour address"></a>          |
| В                  | <cr> and </cr>   | С  | <a="mailto"></a="mailto">                      |
| С                  | and  | D  | <href "mailto"="" ==""></href>                 |
| D                  | and  | 12 | What will happen, If the background image      |
| 5                  | Which is the correct syntax for adding   |    | is smaller than the screen, what will          |
|                    | alternate text for image, if the image cannot  |    | happen?  |
|                    | be displayed?  | Α  | It will be stretched                           |
| Α                  | <img alt="big boat" src="boat.gif"/>   | в  | It will leave a blank space at the bottom of   |
| В                  | <img alt="" src="boat.gif" text="big boat"/>   |    | the page                                       |
| С                  | <img alternate="big boat" src="boat.gif"/>   | С  | It will leave a blank space at the top of the  |
| D                  | <img alternate="" src="boat.gif" text="big&lt;/th&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;page&lt;/th&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;/th&gt;&lt;th&gt;boat"/> | D  | It will be repeated                            |
| 6                  | Which is the correct H1 tag for right  | 13 | Which is the correct css syntax?               |
|                    | alignment?   | Α  | body: color = black;                           |
| Α                  | <h1 align="right"></h1>  | в  | body { color; black}                           |
| В                  | <h1 align="right" tag=""></h1>   | С  | {body: color : black;}                         |
| С                  | <h1 align="r"></h1>  | D  | {body : color = black;}                        |
| D                  | <h1 alignment="right"></h1>  | 14 | which is the correct html tag for making a     |
| 7                  | What is the use of forms in HTML?  |    | text input field?\                             |
| A                  | To display a table   | Α  | <text type="Text"></text>                      |
| В                  | To display a list  | В  | <input type="text"/>                           |
| С                  | To send the data to server   | С  | <input type="textfield"/>                      |
| D                  | To display email contents  | D  | <input type="textbox"/>                        |
|                    | 1 2  |    |  |
|                    |  |    |  |

| 15     | Which is the correct html tag for creating       |  |
|--------|--|--|
|        | password field?<br><text type="password"></text> |  |
| Α      | <text type="password"></text>                    |  |
| В      | <input type="pwd"/>                              |  |
| С      | <input type="password"/>                         |  |
| D      | <input type="passcode"/>                         |  |
| 16     | What is the correct html code for inserting a    |  |
|        | background image?                                |  |
| Α      | <body background="image jpg"></body>             |  |
| В      | <body "image.jpg"="" ==""></body>                |  |
| С      | <background "image.jpg"="" ==""></background>    |  |
| D      | <body background="image.jpg"></body>             |  |
| 17     | Which option will match, while making            |  |
|        | bulleted list?                                   |  |
| Α      | Square, disc, polygon                            |  |
| В      | triangle, disc, circle                           |  |
| С      | triangle, square, circle                         |  |
| D      | disc, circle, square                             |  |
| 18     | What is the meaning of increase the cell         |  |
|        | padding?   |  |
| Α      | Increase the thickness of table border           |  |
| В      | Increase the space between cells                 |  |
| С      | Increase the distance between cell and           |  |
|        | content  |  |
| D      | Increase the no of cells                         |  |
| 19     | Which property of cells will how many rows       |  |
|        | a cell should span?                              |  |
| Α      | Colspan = 5                                      |  |
| В      | Rowspan = 5                                      |  |
| С      | Cellspan = 5                                     |  |
| D      | Span = 5   |  |
| 20     | Which web language give more control over        |  |
|        | the HTML elements and allows them to             |  |
|        | change at any time without returning to the      |  |
|        |  |  |
|        | Web server?                                      |  |
| Α      | Web server?<br>BML                               |  |
| A<br>B |  |  |
| _      | BML  |  |

| 1         What<br>HTML <html< td=""> <html< td=""> <body< td="">           C           </body<>           A         NIMI           B         NIMI           C         CHEN           D         CHEN           2         What i           <html> <html> <body< td=""> <h2>N           format             NIMI           B         NIMI           C         CHEN           S         NIMI           B         NIMI           C         NIMI           B         NIMI           B         NIMI           C         NIMI           B         NIMI           C         NIMI           B         NIMI           C         NIMI           D         NIMI</h2></body<></html></html></html<></html<>  | dy><br><strong>NIMI</strong><br>CHENNAI<br>ody><br>mI><br>II CHENNAI                    | 4 | How will the following html code appear in<br>the browser?<br><html><br/><body><br/><h1> my first heading</h1><br/>my first paragraph<br/></body><br/></html> |
|--|---|---|---|
| HTML<br><html<br><body<br><s<br>C<br/>B NIMI<br/>CHEN<br/>C CHEN<br/>NIMI<br/>D CHEN<br/>NIMI<br/>D CHEN<br/>NIMI<br/>2 What i<br/><html<br><body<br><h2>N<br/>format<br/></h2></body<br></html<br>B NIMI<br/>B NIMI<br/>C NIMI<br/>B NIMI<br/>C NIMI<br/>3 What<br/><body<br>N</body<br></s<br></body<br></html<br>   | ML code?<br>ml><br>dy><br><strong>NIMI</strong><br>CHENNAI<br>ody><br>ml><br>II CHENNAI |   | <html><br/><body><br/><h1> my first heading</h1><br/>my first paragraph<br/></body></html>  |
| HTML<br><html<br><body<br><s<br>C<br/></s<br></body<br></html<br> B NIMI<br>CHEN<br>C CHEN<br>NIMI<br>D CHEN<br>2 What i<br><html<br><body<br><h2>N<br/>format<br/></h2></body<br></html<br> B NIMI<br>B NIMI<br>C NIMI<br>B NIMI<br>C NIMI<br>3 What<br><body<br>N</body<br>  | ML code?<br>ml><br>dy><br><strong>NIMI</strong><br>CHENNAI<br>ody><br>ml><br>II CHENNAI |   | <body><br/><h1> my first heading</h1><br/>my first paragraph<br/></body>  |
| <html<br><body<br><c<br></c<br></body<br>C<br/></html<br> C HEN<br>C CHEN<br>NIMI<br>D CHEN<br>NIMI<br>D CHEN<br>2 What i<br><html><br/><body<br><h2>N<br/>format<br/></h2></body<br>B NIMI<br/>C NIMI<br/>B NIMI<br/>C NIMI<br/>3 What<br/>code?<br/><html< th=""><th>ml&gt;<br/>dy&gt;<br/><strong>NIMI</strong><br/>CHENNAI<br/>ody&gt;<br/>ml&gt;<br/>II CHENNAI</th><th></th><th><h1> my first heading</h1><br/>my first paragraph<br/></th></html<></html>   | ml><br>dy><br><strong>NIMI</strong><br>CHENNAI<br>ody><br>ml><br>II CHENNAI             |   | <h1> my first heading</h1><br>my first paragraph<br>  |
| <br><br><br><br><br><br><br>A NIMI<br>B NIMI<br>C HEN<br>C CHEN<br>D CHEN<br>2 What i<br><br><br><br><br><br><br><br>  | dy><br><strong>NIMI</strong><br>CHENNAI<br>ody><br>mI><br>II CHENNAI                    |   | my first paragraph  |
| <  | <strong>NIMI</strong><br>CHENNAI<br>ody><br>mI><br>II CHENNAI                           |   |   |
| ANIMIBNIMICCHENCCHENDCHEN2What is <html><html< td=""><html< td=""><html< td="">ANIMIBNIMICNIMIBNIMICNIMICNIMI3What<body< td=""><html< td=""><body< td=""></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></html<></body<></html<></html<></html<></html>  | ody><br>ml><br>II CHENNAI   | • | •   |
| <ul> <li> <li>A NIMI</li> <li>B NIMI</li> <li>CHEN</li> <li>C CHEN</li> <li>NIMI</li> <li>D CHEN</li> <li>2 What is</li> <li><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html><html<<html><html<<html><html<<html><html<<html><html<<html><html<<html><html<<html><html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html></html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html<<html></html<<html></html<<html></html<<html></html<<html></html<<html></html<<html></html<<html></html></html></html></html></html></html></html></html></html></html></html></html></html></html></html></html></html></html></html></html></li></li></ul> | ml><br>II CHENNAI   | • |   |
| A NIMI<br>B NIMI<br>CHEN<br>C CHEN<br>NIMI<br>D CHEN<br>2 What i<br><html><br/><body<br><h2>N<br/>format<br/></h2></body<br>B NIMI<br/>C NIMI<br/>D NIMI<br/>3 What<br/><body<br>N</body<br></html>  | II CHENNAI  |   |   |
| <ul> <li>B NIMI<br/>CHEN<br/>CHEN<br/>NIMI</li> <li>D CHEN</li> <li>2 What is<br/><html></html></li> <li>2 What is<br/><html></html></li> <li>4html&gt;</li> <li>4html&gt;</li> <li>4html</li> <li>4html</li> <li>4html</li> <li>4html</li> <li>6 NIMI</li> <li>6 NIMI</li> <li>7 NIMI</li> <li>7 NIMI</li> <li>8 NIMI</li> <li>8 NIMI</li> <li>9 NIMI</li> <li>9 NIMI</li> <li>3 What<br/>code3</li> <li>4html</li> <li>4</li></ul>   |   |   |   |
| CHEN<br>CHEN<br>NIMI<br>DCHEN<br>2 What i<br><html><br/><body<br><h2>N<br/>format<br/></h2></body<br>A NIMI<br/>B NIMI<br/>C NIMI<br/>D NIMIC<br/>3 What<br/><body<br>N</body<br></html>   |   | Α | <b>My first heading</b><br>My first paragraph   |
| C CHEN<br>NIMI<br>D CHEN<br>2 What i<br><html><br/><body<br><h2>N<br/>format<br/></h2></body<br>D NIMI<br/>C NIMI<br/>D NIMI<br/>3 What<br/><body<br>N</body<br></html>  |   |   | My first paragraph  |
| NIMI<br>D CHEN<br>2 What is<br><html><br/><body<br><h2>N<br/>format<br/></h2></body<br>A NIMI<br/>B NIMI<br/>C NIMI<br/>D NIMIC<br/>3 What<br/><body<br>N</body<br></html>   |   | в | My first heading  |
| DCHEN2What i <html><body< td=""><h2>NformatANIMIBNIMICNIMIDNIMIC3What<body< td=""><body< td=""></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></body<></h2></body<></html>   |   | 5 | My first <b>paragraph</b>   |
| <ul> <li>2 What i</li> <li><html><body< li=""> <li><h2>N</h2></li> <li>format</li> <li></li></body<> <li> <li>A NIMI</li> <li>B NIMI</li> <li>C NIMI</li> <li>D NIMIC</li> <li>3 What</li> <li><body< li=""> <li>N</li> </body<></li></li></html></li></ul>  |   |   | )   |
| <html><br/><body<br><h2>N<br/>format<br/></h2></body<br>A NIMI<br/>B NIMI<br/>C NIMI<br/>D NIMIC<br/>3 What<br/>code?<br/><html<br><body<br>N</body<br></html<br></html>   | ENNAL NIMI  | С | My first heading  |
| <body.<br></body.<br> <h2>N<br/>format<br/>ANIMI &amp;<br/>ABNIMI &amp;<br/>CCNIMI &amp;<br/>CDNIMI &amp;<br/>C3What<br/>code?<br/><br/><html<br></html<br><body.<br></body.<br>N</h2>   | t is the output of the following html?  |   | My first paragraph  |
| <h2>N<br/>format<br/>A NIMI<br/>B NIMI<br/>C NIMI<br/>C NIMI<br/>D NIMIC<br/>3 What<br/>code3<br/><html<br><body<br>N</body<br></html<br></h2>   |   |   |   |
| format<br>A NIMI<br>B NIMI<br>C NIMI<br>D NIMIC<br>3 What<br>code?<br><html<br><body<br>N</body<br></html<br>  | >NIMI <small>CHENNAI</small>  | D | My first <b>heading</b>   |
| A NIMI<br>B NIMI<br>C NIMI<br>D NIMIC<br>3 What<br>code3<br><html<br><body<br>N</body<br></html<br>  | atting  |   | My first <b>paragraph</b>   |
| ANIMIBNIMICNIMIDNIMI3Whatcode? <html< td=""><body< td="">N</body<></html<>   | -   | 5 | Which of the following code is used to add a  |
| BNIMICNIMIDNIMIC3Whatcode? <html< th=""><body< th=""><body< th=""><body< th=""><body< th=""></body<></body<></body<></body<></html<>   |   |   | plain color background to the web page?   |
| C NIMI<br>D NIMIC<br>3 What<br>code?<br><html<br><body<br>N</body<br></html<br>  | II chennai  | Α | <body bgcolor="36, 2437"></body>  |
| D NIMIC<br>3 What<br>code?<br><html<br><body<br>N</body<br></html<br>  | II CHENNAI  | В | <body color="#FF000"></body>  |
| 3 What<br>code?<br><html<br><body<br>N</body<br></html<br>   | II chennaiformatting  | С | <body bgcolor="#FF000"></body>  |
| code?<br><html<br><body<br>N</body<br></html<br>   | IICHENNAlformatting   | D | <bgcolor "blue"="" ==""></bgcolor>  |
| <html<br><body<br>N</body<br></html<br>  | at is the output of the following html  |   |   |
| <body<br>N</body<br>   | e?  |   |   |
| N  |   |   |   |
|  | -   |   |   |
| <th></th> <th></th> <th></th>  |   |   |   |
| // /   | NIMI <sup>CHENNAI</sup>   |   |   |
|  | ody>  |   |   |
|  | ody><br>ml>   |   |   |
|  | ody><br>ml><br>II <sup>chennai</sup>  |   |   |
|  | ody><br>ml><br>II <sup>chennai</sup><br>II <sub>chennai</sub>                           |   |   |
|  | ody><br>ml><br>II <sup>chennai</sup>  |   |   |

# Module 12 : Designing Static WebPages - Key paper

\_\_\_\_

\_\_\_\_

### Questions: Level 1

Questions: Level 2

| SL.No  | Key    |
|--------|--------|
|        |        |
| 1      | A      |
| 23     | D      |
|        | С      |
| 4<br>5 | В      |
|        | С      |
| 6      | В      |
| 7      | С      |
| 8      | A      |
| 9      | С      |
| 10     | В      |
| 11     | A<br>C |
| 12     | С      |
|        |        |

| SL.No       | Key                             |
|-------------|---------------------------------|
| 1           | A<br>D                          |
| 2<br>3<br>4 | D                               |
| 3           | А                               |
| 4           | D<br>A<br>A<br>C<br>C<br>C<br>C |
| 5<br>6<br>7 | A                               |
| 6           | А                               |
|             | С                               |
| 8           | С                               |
| 9           | С                               |
| 10          | В                               |
| 11          | А                               |
| 12          | D                               |
| 13          | В                               |
| 14          | В                               |
| 15          | С                               |
| 16          | А                               |
| 17          | D                               |
| 18          | С                               |
| 19          | В                               |
| 20          | D                               |

| SL.No | Key |
|-------|-----|
| 1     | В   |
| 2     | С   |
| 3     | А   |
| 4     | А   |
| 5     | С   |

# Computer Operator and Programming Assistant 2<sup>nd</sup> Semester -Module 1 : JavaScript and Creating Web Page

| Qu | estions: Level 1                              |    |   |
|----|---|----|---|
|    |   | 8  | Which is a variable seperator if more than    |
| 1  | What is the process of writing instruction to |    | one variable declared in one statement?       |
|    | be get executed by the computer?              | Α  | ,   |
| Α  | Debugging                                     | в  | :   |
| в  | Executing                                     | С  | -   |
| С  | Presenting                                    | D  | /   |
| D  | Programming                                   | 9  | Which brackets is used to write array in java |
| 2  | Which is a statement terminator in            |    | script?                                       |
|    | javascript?                                   | Α  | Curve bracket                                 |
| Α  | ,<br>,  | в  | Square bracket                                |
| в  | ;   | С  | Curly bracket                                 |
| С  |   | D  | Corner bracket                                |
| D  |   | 10 | Which bracket is used to write object in      |
| 3  | Who developed javascript?                     |    | javascript?                                   |
| A  | Brendan Eich                                  | Α  | Curve bracket                                 |
| в  | Brendan Rich                                  | в  | Square bracket                                |
| С  | John Eckerl                                   | С  | Curly bracket                                 |
| D  | John Mauchy                                   | D  | Corner bracket                                |
| 4  | Which programming language's syntax           | 11 | How many types of operation are there in      |
|    | influences javascript syntex?                 |    | javascript?                                   |
| Α  | C   | Α  | 3   |
| в  | COBOL   | в  | 4   |
| С  | Java  | С  | 6   |
| D  | JDK   | D  | 8   |
| 5  | Which web server provides good custeomer      | 12 | What is the purpose module (%) operator in    |
|    | support if it had any issues?                 |    | javascript?                                   |
| Α  | Apache  | Α  | Percentage value                              |
| в  | IIS   | в  | Product value                                 |
| С  | Lite speed                                    | С  | Remainder value                               |
| D  | Nginx   | D  | Quotient value                                |
| 6  | Which web server has high performance         | 13 | How many part are there in 'For' loop?        |
|    | stability simple configuration and low        | Α  | 2   |
|    | resosurce usge?                               | в  | 3   |
| Α  | Apache  | С  | 4   |
| в  | IIS   | D  | 5   |
| С  | Lite speed                                    | 14 | Which part in loop evaluates the conditions?  |
| D  | Nginx   | Α  | Condition part                                |
| 7  | Which key is used to declare a variable in    | в  | Increment /Decrement part                     |
|    | javascript?                                   | С  | Initialisation part                           |
| Α  | const   | D  | Looping part                                  |
| В  | dec   |    |   |
| С  | dim   |    |   |
| D  | var   |    |   |
|    |   |    |   |

| A 3<br>B 4<br>C 6<br>D 8<br>16 How m<br>by the f<br>A 3<br>B 4<br>C 5<br>D 6<br>17 Which f<br>value m<br>A abs()<br>B ceil()<br>C floor()<br>D round()<br>18 Which f<br>value a<br>A Array<br>B Elemen<br>C Function<br>D Object<br>19 Which<br>javascr<br>A ,<br>B :<br>C -<br>D /<br>20 Which f  |  | 22<br>A<br>B<br>C<br>D<br>23<br>A<br>B<br>C<br>D<br>24<br>A<br>B<br>C<br>D<br>24<br>A<br>B<br>C<br>D<br>25 | Which is a valid js code to sort element of<br>an array tracle?<br>Trade.sort:<br>Trade.sort();<br>Sort.trade();<br>Sort.(trade);<br>What is the full form of BOM?<br>Browser Object Method<br>Browser Object Model<br>Browser Oriented Method<br>Browser Oriented Model<br>What is the full form of TOC?<br>Text of content<br>Time of calculation<br>Table of content<br>Terminator of content |
|--|--|--|--|
| <ul> <li>A 3</li> <li>B 4</li> <li>C 6</li> <li>D 8</li> <li>16 How m by the form be form the form be form by the form by the form be form by the form by the</li></ul>  | nany different values can be returned<br>e error name property in javascript ?   | B<br>C<br>D<br>233<br>A<br>B<br>C<br>D<br>24<br>A<br>B<br>C<br>D<br>24<br>C<br>D<br>D                      | Trade.sort:<br>Trade.sort();<br>Sort.trade();<br>Sort.(trade);<br>What is the full form of BOM?<br>Browser Object Method<br>Browser Object Model<br>Browser Oriented Method<br>Browser Oriented Model<br>What is the full form of TOC?<br>Text of content<br>Time of calculation<br>Table of content   |
| B       4         C       6         D       8         16       How m<br>by the fill         A       3         B       4         C       5         D       6         17       Which fill         value reaction       abs()         B       ceil()         C       floor()         D       round()         18       Which fill         value a       A         A       Array         B       Elemer         C       Function         D       Object         19       Which fill         javascr       A         A       ,         B       :         C       -         D       /         20       Which fill         numbe       A         A       Num()   | <ul> <li>error name property in javascript ?</li> <li>object method is used to return the rounded down to its nearest interger?</li> <li>()</li> <li>special variable holds more than one</li> </ul> | B<br>C<br>D<br>233<br>A<br>B<br>C<br>D<br>24<br>A<br>B<br>C<br>D<br>24<br>C<br>D<br>D                      | Trade.sort();<br>Sort.trade();<br>Sort.(trade);<br>What is the full form of BOM?<br>Browser Object Method<br>Browser Object Model<br>Browser Oriented Method<br>Browser Oriented Model<br>What is the full form of TOC?<br>Text of content<br>Time of calculation<br>Table of content  |
| <ul> <li>C 6</li> <li>D 8</li> <li>16 How m by the form be form form by the form be form by the form by th</li></ul> | <ul> <li>error name property in javascript ?</li> <li>object method is used to return the rounded down to its nearest interger?</li> <li>()</li> <li>special variable holds more than one</li> </ul> | C<br>D<br>23<br>A<br>B<br>C<br>D<br>24<br>A<br>B<br>C<br>D<br>C<br>D                                       | Sort.trade();<br>Sort.(trade);<br>What is the full form of BOM?<br>Browser Object Method<br>Browser Oriented Method<br>Browser Oriented Model<br>What is the full form of TOC?<br>Text of content<br>Time of calculation<br>Table of content   |
| <ul> <li>D 8</li> <li>16 How m by the form of the second s</li></ul> | <ul> <li>error name property in javascript ?</li> <li>object method is used to return the rounded down to its nearest interger?</li> <li>()</li> <li>special variable holds more than one</li> </ul> | D<br>23<br>A<br>B<br>C<br>D<br>24<br>A<br>B<br>C<br>D<br>C<br>D  | Sort.(trade);<br>What is the full form of BOM?<br>Browser Object Method<br>Browser Object Model<br>Browser Oriented Method<br>Browser Oriented Model<br>What is the full form of TOC?<br>Text of content<br>Time of calculation<br>Table of content  |
| <ul> <li>How m by the form be form by the form be form form form form be form the form be form the form be form the form be form by the form be form the for</li></ul> | <ul> <li>error name property in javascript ?</li> <li>object method is used to return the rounded down to its nearest interger?</li> <li>()</li> <li>special variable holds more than one</li> </ul> | 23<br>A<br>B<br>C<br>D<br>24<br>A<br>B<br>C<br>D   | What is the full form of BOM?<br>Browser Object Method<br>Browser Object Model<br>Browser Oriented Method<br>Browser Oriented Model<br>What is the full form of TOC?<br>Text of content<br>Time of calculation<br>Table of content   |
| A 3<br>B 4<br>C 5<br>D 6<br>17 Which 4<br>value real<br>A abs()<br>B ceil()<br>C floor()<br>D round()<br>18 Which 4<br>value a<br>A Array<br>B Elemer<br>C Function<br>D Object<br>19 Which 4<br>javascr<br>A ,<br>B :<br>C -<br>D /<br>20 Which 4<br>numbe<br>A Num()<br>B Str()  | <ul> <li>error name property in javascript ?</li> <li>object method is used to return the rounded down to its nearest interger?</li> <li>()</li> <li>special variable holds more than one</li> </ul> | A<br>B<br>C<br>D<br>24<br>A<br>B<br>C<br>D   | Browser Object Method<br>Browser Object Model<br>Browser Oriented Method<br>Browser Oriented Model<br>What is the full form of TOC?<br>Text of content<br>Time of calculation<br>Table of content  |
| A 3<br>B 4<br>C 5<br>D 6<br>17 Which 4<br>value real<br>A abs()<br>B ceil()<br>C floor()<br>D round()<br>18 Which 4<br>value a<br>A Array<br>B Elemer<br>C Function<br>D Object<br>19 Which 4<br>javascr<br>A ,<br>B :<br>C -<br>D /<br>20 Which 4<br>numbe<br>A Num()<br>B Str()  | <ul> <li>error name property in javascript ?</li> <li>object method is used to return the rounded down to its nearest interger?</li> <li>()</li> <li>special variable holds more than one</li> </ul> | A<br>B<br>C<br>D<br>24<br>A<br>B<br>C<br>D   | Browser Object Method<br>Browser Object Model<br>Browser Oriented Method<br>Browser Oriented Model<br>What is the full form of TOC?<br>Text of content<br>Time of calculation<br>Table of content  |
| <ul> <li>A 3</li> <li>B 4</li> <li>C 5</li> <li>D 6</li> <li>17 Which value reads ()</li> <li>B ceil()</li> <li>C floor()</li> <li>D round()</li> <li>18 Which value a</li> <li>A Array</li> <li>B Element</li> <li>C Function</li> <li>D Object</li> <li>19 Which javascr</li> <li>A ,</li> <li>B :</li> <li>C -</li> <li>D /</li> <li>20 Which numbe</li> <li>A Num()</li> <li>B Str()</li> </ul>  | o object method is used to return the<br>rounded down to its nearest interger?<br>()<br>n special variable holds more than one   | B<br>C<br>D<br>24<br>A<br>B<br>C<br>D  | Browser Object Model<br>Browser Oriented Method<br>Browser Oriented Model<br>What is the full form of TOC?<br>Text of content<br>Time of calculation<br>Table of content   |
| <ul> <li>B 4</li> <li>C 5</li> <li>D 6</li> <li>17 Which value reads of the second sec</li></ul> | rounded down to its nearest interger? () () () () () () () () () () () () ()   | C<br>D<br>24<br>A<br>B<br>C<br>D   | Browser Oriented Method<br>Browser Oriented Model<br>What is the full form of TOC?<br>Text of content<br>Time of calculation<br>Table of content   |
| C 5<br>D 6<br>17 Which value ro<br>A abs()<br>B ceil()<br>C floor()<br>D round()<br>18 Which value a<br>A Array<br>B Elemer<br>C Function<br>D Object<br>19 Which javascr<br>A ,<br>B :<br>C -<br>D /<br>20 Which numbe<br>A Num()<br>B Str()  | rounded down to its nearest interger? () () () () () () () () () () () () ()   | D<br>24<br>A<br>B<br>C<br>D  | Browser Oriented Model<br>What is the full form of TOC?<br>Text of content<br>Time of calculation<br>Table of content  |
| <ul> <li>D 6</li> <li>17 Which value realized abs()</li> <li>B ceil()</li> <li>C floor()</li> <li>D round()</li> <li>18 Which value at A Array</li> <li>B Element</li> <li>C Function</li> <li>D Object</li> <li>19 Which javascr</li> <li>A ,</li> <li>B :</li> <li>C -</li> <li>D /</li> <li>20 Which numbe</li> <li>A Num()</li> <li>B Str()</li> </ul>   | rounded down to its nearest interger? () () () () () () () () () () () () ()   | 24<br>A<br>B<br>C<br>D   | What is the full form of TOC?<br>Text of content<br>Time of calculation<br>Table of content  |
| <ul> <li>17 Which value revealed in the value of a bas()</li> <li>B ceil()</li> <li>C floor()</li> <li>D round()</li> <li>18 Which value a</li> <li>A Array</li> <li>B Element</li> <li>C Function</li> <li>D Object</li> <li>19 Which javascric</li> <li>A ,</li> <li>B :</li> <li>C -</li> <li>D /</li> <li>20 Which numbe</li> <li>A Num()</li> <li>B Str()</li> </ul>  | rounded down to its nearest interger? () () () () () () () () () () () () ()   | A<br>B<br>C<br>D   | Text of content<br>Time of calculation<br>Table of content   |
| A abs()<br>B ceil()<br>C floor()<br>D round()<br>18 Which<br>value a<br>A Array<br>B Elemen<br>C Function<br>D Object<br>19 Which<br>javascr<br>A ,<br>B :<br>C -<br>D /<br>20 Which<br>numbe<br>A Num()<br>B Str()  | rounded down to its nearest interger? () () () () () () () () () () () () ()   | B<br>C<br>D  | Time of calculation<br>Table of content  |
| <ul> <li>A abs()</li> <li>B ceil()</li> <li>C floor()</li> <li>D round()</li> <li>18 Which value a</li> <li>A Array</li> <li>B Elemer</li> <li>C Function</li> <li>D Object</li> <li>19 Which javascr</li> <li>A ,</li> <li>B :</li> <li>C -</li> <li>D /</li> <li>20 Which numbe</li> <li>A Num()</li> <li>B Str()</li> </ul>   | ()<br>a special variable holds more than one   | C<br>D   | Table of content   |
| <ul> <li>B ceil()</li> <li>C floor()</li> <li>D round()</li> <li>18 Which value a</li> <li>A Array</li> <li>B Elemer</li> <li>C Function</li> <li>D Object</li> <li>19 Which javascr</li> <li>A ,</li> <li>B :</li> <li>C -</li> <li>D /</li> <li>20 Which numbe</li> <li>A Num()</li> <li>B Str()</li> </ul>  | ()<br>special variable holds more than one   | D  |  |
| C floor()<br>D round()<br>18 Which<br>value a<br>A Array<br>B Elemen<br>C Function<br>D Object<br>19 Which<br>javascr<br>A ,<br>B :<br>C -<br>D /<br>20 Which<br>numbe<br>A Num()<br>B Str()   | ()<br>special variable holds more than one   |  | l erminator of content   |
| <ul> <li>D round()</li> <li>18 Which value a</li> <li>A Array</li> <li>B Elemer</li> <li>C Function</li> <li>D Object</li> <li>19 Which javascr</li> <li>A ,</li> <li>B :</li> <li>C -</li> <li>D /</li> <li>20 Which numbe</li> <li>A Num()</li> <li>B Str()</li> </ul>   | ()<br>special variable holds more than one   | 25   |  |
| <ul> <li>18 Which value a</li> <li>A Array</li> <li>B Elemer</li> <li>C Function</li> <li>D Object</li> <li>19 Which javascr</li> <li>A ,</li> <li>B :</li> <li>C -</li> <li>D /</li> <li>20 Which numbe</li> <li>A Num()</li> <li>B Str()</li> </ul>  | special variable holds more than one   |  | Which is the first phase of System   |
| <ul> <li>value a</li> <li>A Array</li> <li>B Element</li> <li>C Function</li> <li>D Object</li> <li>19 Which javascr</li> <li>A ,</li> <li>B :</li> <li>C -</li> <li>D /</li> <li>20 Which mumbe</li> <li>A Num()</li> <li>B Str()</li> </ul>  | •  | -  | Development Life Cycle?  |
| <ul> <li>A Array</li> <li>B Element</li> <li>C Function</li> <li>D Object</li> <li>19 Which javascr</li> <li>A ,</li> <li>B :</li> <li>C -</li> <li>D /</li> <li>20 Which mumbe</li> <li>A Num()</li> <li>B Str()</li> </ul>   | at a time?   | Α  | Testing  |
| <ul> <li>B Element</li> <li>C Function</li> <li>D Object</li> <li>19 Which javascr</li> <li>A ,</li> <li>B :</li> <li>C -</li> <li>D /</li> <li>20 Which numbe</li> <li>A Num()</li> <li>B Str()</li> </ul>  |  | В  | Planning   |
| C Function<br>D Object<br>19 Which<br>javascr<br>A ,<br>B :<br>C -<br>D /<br>20 Which<br>numbe<br>A Num()<br>B Str()   |  | С  | Developing   |
| <ul> <li>D Object</li> <li>19 Which javascr</li> <li>A ,</li> <li>B :</li> <li>C -</li> <li>D /</li> <li>20 Which numbe</li> <li>A Num()</li> <li>B Str()</li> </ul>   | ent  | D  | Defining   |
| <ul> <li>19 Which javascr</li> <li>A ,</li> <li>B :</li> <li>C -</li> <li>D /</li> <li>20 Which numbe</li> <li>A Num()</li> <li>B Str()</li> </ul>   | ion  | 26   | What is the abbreviation of W3C in Dom?  |
| javascr<br>A ,<br>B :<br>C -<br>D /<br>20 Which<br>numbe<br>A Num()<br>B Str()   | t  | Α  | Word Wide Web Curriculum   |
| A ,<br>B :<br>C -<br>D /<br>20 Which<br>numbe<br>A Num()<br>B Str()  | is the parameter name separator in   | В  | World Wide Web Consortium  |
| A ,<br>B :<br>C -<br>D /<br>20 Which<br>numbe<br>A Num()<br>B Str()  |  | С  | World Wide Web Centre  |
| C -<br>D /<br>20 Which<br>numbe<br>A Num()<br>B Str()  |  | D  | World Wide Web Content   |
| D         /           20         Which mumber           A         Num()           B         Str()  |  |  |  |
| D         /           20         Which mumber           A         Num()           B         Str()  |  |  |  |
| 20 Which<br>numbe<br>A Num()<br>B Str()  |  |  |  |
| numbe<br>A Num()<br>B Str()  | function in javassript converts a  |  |  |
| <ul><li>A Num()</li><li>B Str()</li></ul>  | er to a string?  |  |  |
| B Str()  |  |  |  |
| 0  |  |  |  |
|  | 0  |  |  |
| D to string  |  |  |  |
|  | IG()   | -  |  |
|  |  |  |  |
|  | allows developers to bundle all  |  |  |
|  | allows developers to bundle all onality under a unique application -   |  |  |
| A Class  | allows developers to bundle all  | 1  |  |
|  | allows developers to bundle all<br>onality under a unique application -<br>ic name?  |  |  |
| C Object   | allows developers to bundle all<br>onality under a unique application -<br>ic name?<br>space   |  |  |
| D Proper   | allows developers to bundle all<br>onality under a unique application -<br>ic name?<br>space<br>t  |  |  |

| <u></u> | estions: Level 2                           | 9  | What is the purpose of Initialization part                  |
|---------|--|----|---|
| Qu      | estions: Level 2                           | 9  | What is the purpose of Initialisation part<br>in'for' loop? |
| 1       | What is the main purpose of JavaScript?    | Α  | exit the loop   |
| A       | Client side validation                     | В  | evaluate the condition                                      |
| B       | Create web browsers                        | C  | increase or decrease the initial variable                   |
| C       | Read and write files                       | D  | Initiate the variable                                       |
| _       | Store data in the server                   |    |   |
| D       |  | 10 | Which keyboard in switch case statement                     |
| 2       | Which one is responsible of running        |    | specifies the code to run if there is no case               |
|         | javascript code?                           |    | match?  |
| A       | Browser                                    | A  | Break   |
| B       | Notepad++                                  | B  | Case  |
| C       | Sublime Text                               | C  | Default   |
| D       | Visual studio code                         | D  | End   |
| 3       | Which one enables the hosting providers to | 11 | Which statement is used to test a block of                  |
|         | mange multiple domains on a single server? |    | code for errors?  |
| Α       | Network server                             | Α  | Catch   |
| В       | SQL server                                 | В  | Finally   |
| С       | Web server                                 | С  | Throe   |
| D       | Database server                            | D  | Try   |
| 4       | Which sign an 'assignment' operator in     | 12 | Which statement is used to handle the error?                |
|         | javascript?                                | Α  | Try   |
| Α       | =  | В  | Catch   |
| В       | #  | С  | Throw   |
| С       | = =  | D  | Finally   |
| D       | <>   | 13 | Which statement is used create custom error                 |
| 5       | Which data type in javascript returns the  |    | in javascript?  |
|         | value 'True' or 'Flase'?                   | Α  | Catch   |
| Α       | Boolean                                    | В  | Finally   |
| В       | Dynamic                                    | С  | Throw   |
| С       | Object                                     | D  | Try   |
| D       | String                                     | 14 | Which statement is used to execute code                     |
| 6       | Which operator is used to check both value |    | after try and catch?  |
|         | and type in javascript?                    | Α  | Finally   |
| Α       | #  | в  | Syntax error  |
| В       | =  | С  | Throw   |
| С       | = =  | D  | Type error  |
| D       | = = =                                      | 15 | Which error indicates that the numbers is                   |
| 7       | Which assignment operator is equivalent to |    | outside the range of legal values?                          |
|         | a = a * 5?                                 | Α  | Range Error   |
| Α       | a = 5 * 9                                  | в  | Reference Error   |
| в       | a = * 5                                    | С  | Type Error  |
| С       | a * = 5                                    | D  | URI Error   |
| D       | a = 5                                      | 16 | Which error indicates that the variable used                |
| 8       | Which single charcter escape sequence      |    | is not declared?  |
|         | represents 'line feed" javascript?         | Α  | Eval Error  |
| Α       | \b   | в  | Range Error   |
| в       | \ f  | С  | Reference Error   |
| С       | \n   | D  | Syntax Error  |
| D       | \t   |    | -   |
|         |  |    |   |
|         |  | I  |   |

| 17 | Which error indicates that the value is outside the | 25 | Which variable declared outside a function in |
|----|---|----|---|
|    | range of expected type?                             |    | Javascript?                                   |
| Α  | Eval Error  | Α  | Function variable                             |
| В  | Range Error   | в  | Global variable                               |
| С  | Syntax Error  | С  | Local variable                                |
| D  | Type Error  | D  | Object variable                               |
| 18 | Which is used to acess individual value in an       | 26 | Which feature in Javascript has properties    |
|    | array?  |    | and methods?                                  |
| Α  | Content Number                                      | Α  | Array   |
| в  | Element Number                                      | В  | Function                                      |
| С  | Table Number  | c  | Object  |
| D  | Variable Number                                     | D  | Controls                                      |
| 19 | What is the purpose of length property in           | 27 | Which variable are deleted in JavaScript      |
|    | array?  | 21 | •   |
| Α  | Returns number of array element                     |    | when the page is closed?                      |
| В  | Returns number of characters                        | A  | Function variable                             |
| c  | Returns number of fields in object array            | B  | Global variable                               |
| D  | Returns number of highest array index               | C  | Local variable                                |
|    |   | D  | Object variable                               |
| 20 | Which method joins all array element into           | 28 | Which method is called at the moment of       |
| _  | string with specified separator?                    |    | instentiation of an object?                   |
| Α  | Join()  | Α  | Constructor                                   |
| В  | Pop()   | В  | Inheritance                                   |
| С  | Push()  | С  | Polymorphism                                  |
| D  | To string()   | D  | Property                                      |
| 21 | Which method removes the last elements              | 29 | Which is an instance of class?                |
|    | from an array?                                      | Α  | Class   |
| Α  | Join()  | в  | Name space                                    |
| В  | Push()  | С  | Object  |
| С  | Pop()   | D  | property                                      |
| D  | Shift()   | 30 | Which is window method is used to move        |
| 22 | Which method is used to add new element to          |    | the current window?                           |
|    | an array?   | Α  | Move()  |
| Α  | Join()  | В  | Move to()                                     |
| в  | Push()  | c  | Window move()                                 |
| С  | Pop()   | D  | Window.move to()                              |
| D  | Shift()   |    |   |
|    | Which method removes the first array                | 31 | Which is property returns the width of the    |
| 25 | element?  |    | visitor's screen in pixels?                   |
| Α  | Join()  | A  | Width()                                       |
| В  | Pop()   | B  | Screen width()                                |
| C  | Push()  | C  | Screen.width()                                |
|    |   | D  | Width.screen()                                |
| D  | Shift()   | 32 |   |
| 24 | Which variable works as function argument           |    | current page?                                 |
| -  | in java script?                                     | Α  | href()  |
| Α  | Function variable                                   | В  | < herf >                                      |
| В  | Global variable                                     | С  | Location.herf                                 |
| С  | Local variable                                      | D  | herf.location                                 |
| D  | Object variable                                     |    |   |
|    |   |    |   |

| 33 | Which property is used to transfer files from |
|----|---|
|    | one host to another host over internet?       |

- A IP
- B FTP
- **C** HTTP
- D SMTP
- **34** Which open source software is used to upload from client to server or download from server to client?
- A PHP
- B Perl
- **C** HTTP
- **D** FILEZILLA

| Qu |  |
|----|--|
| 1  | How will javascript treat a number, when it is |
|    | enclosed with double or single quotes?         |
| Α  | Error  |
| В  | Number   |
| С  |  |
| D  | Zero   |
| 2  | What will be the output for the following      |
| _  | Javascript code?                               |
|    | var x = 13 + "03"                              |
|    | Alert(x);                                      |
| Α  | 16   |
| В  | 133  |
| C  | 1303   |
| D  | 13 03  |
| 3  |  |
| -  | is executed                                    |
|    | var x = 1324;                                  |
|    | var $y = \text{new Number}(1324);$             |
|    | if(x == y)                                     |
|    | alert("Yes");                                  |
|    | else   |
|    | alert("No")                                    |
| Α  | Infinity                                       |
| В  | Error  |
| C  | No   |
| D  | Yes  |
| 4  | What is the output of the following javascript |
| -  | code?  |
|    | var x = " ITI ";                               |
|    | var y = " GOVT ";                              |
|    | var $o = y \operatorname{concat}(x)$           |
|    | document.write(o);                             |
| Α  | ITI GOVT                                       |
| В  | ITIGOVT  |
| c  | GOVTITI  |
| D  | GOVT ITI                                       |
| 5  | What is the output of the following javascript |
| -  | code?  |
|    | var name = " Kanya Kumari" ;                   |
|    | var $x = name.substr(8,2);$                    |
|    | document.write(x);                             |
| Α  | um   |
| В  | ma   |
| С  | ar   |
| D  | Ku   |
|    |  |

### Module 1 : JavaScript and Creating Web Page - Key paper

Questions: Level 1

Questions: Level 2

| 1<br>2<br>3<br>4<br>5<br>6 | D   |
|----------------------------|---|
| 2                          |   |
| 3                          | В   |
| 0                          | A   |
| 4                          | Α   |
| 5                          | В   |
|                            | D   |
| 7                          | D   |
| 8                          | A   |
| 9                          | В   |
| 10                         | С   |
| 11                         | D   |
| 12                         | С   |
| 13                         | В   |
| 14                         | A   |
| 15                         | A   |
| 16                         | D   |
| 17                         | С   |
| 18                         | A   |
| 19                         | A   |
| 20<br>21                   | B<br>A<br>A<br>B<br>D<br>A<br>B<br>C<br>D<br>C<br>B<br>A<br>A<br>A<br>D<br>C<br>A<br>A<br>A<br>D<br>C<br>A<br>B<br>A<br>A<br>B<br>B<br>A<br>B<br>A<br>B<br>B<br>A<br>B<br>A<br>B<br>A<br>B<br>C<br>B<br>B<br>A<br>B<br>C<br>B<br>B<br>C<br>B<br>B<br>C<br>B<br>B<br>C<br>B<br>B<br>C<br>B<br>B<br>C<br>B<br>C |
| 21                         | В   |
| 22<br>23                   | В   |
|                            | B<br>C  |
| 24                         |   |
| 25                         | В   |
| 26                         | В   |

| SL.No  | Key   |
|--|---|
| 1  | А   |
| 2  | А   |
| 3  | А   |
| 4  | А   |
| 5  | А   |
| 2<br>3<br>4<br>5<br>6<br>7   | D   |
|  | С   |
| 8  | С   |
| 9  | D   |
| 10   | C   |
| 11   | D   |
| 12   | B   |
| 13   | C   |
| 14   | A   |
| 15   | A   |
| 16   |   |
| 11<br>12<br>13<br>14<br>15<br>16<br>17<br>18   |   |
| 18   | В<br>   |
| 19   | A   |
| 20   | A   |
| 21   | С   |
| 22   | В   |
| 23   | D   |
| 24   | С   |
| 25   | В   |
| 26   | С   |
| 27   | В   |
| 28   | А   |
| 19         20         21         22         23         24         25         26         27         28         29 | A<br>A<br>A<br>A<br>D<br>C<br>C<br>D<br>C<br>D<br>C<br>D<br>B<br>C<br>A<br>A<br>A<br>C<br>D<br>B<br>A<br>A<br>C<br>B<br>B<br>C<br>B<br>C<br>B<br>C<br>B<br>C<br>B<br>C<br>B<br>C<br>B<br>C<br>B |
| 30   | D   |
| 31   | С   |
| 32   | В   |
| 33   | В   |
| 34   | D   |

| SL.No | Кеу |
|-------|-----|
| 1     | С   |
| 2     | С   |
| 3     | D   |
| 4     | С   |
| 5     | В   |

# Computer Operator and Programming Assistant 2<sup>nd</sup> Semester -Module 2 : Programming with VBA

| <u></u> | estions: Level 1                             | 8  | Which function returns true if the expression  |
|---------|--|----|--|
| Qu      |  | 0  | is a valid date, otherwise it returns false in |
| 1       | Which VBA built in function returns location |    | VBA?   |
|         | at the second string occurs within the first | А  | CDate()  |
|         | string?                                      | В  | IsDate()                                       |
| Α       | Mid()  | c  | Day()  |
| в       | Chr()  | D  | Dateadd()                                      |
| С       | ASC()  | 9  | What is the full form of UDF in VBA?           |
| D       | Instr()                                      | A  | User Data Functions                            |
| 2       | Which keyword is used to declare the         | В  | User Defined Functions                         |
|         | variables in project scope?                  | c  | Undefined Functions                            |
| Α       | Static                                       | D  | Used Data Functions                            |
| В       | Private                                      | 10 | Which function returns the day of the month    |
| С       | Public                                       | 10 | (number from 1 to 31) given date value in      |
| D       | Protect                                      |    | VBA?   |
| 3       | In VBA, How many types of access             | Α  | Day()  |
| •       | specifiers available in VBA?                 | B  | Date()   |
| Α       | 2  | c  | Month()  |
| В       | 3  | D  | Date part()                                    |
| С       | 4  | 11 | Which function returns the current system      |
| D       | 6  |    | date and time in VBA?                          |
| 4       | Which type of variable cannot be declared    | Α  | Date()   |
| •       | within a procedure in VBA?                   | В  | Day()  |
| Α       | Project scope                                | C  | Hour()   |
| В       | Local scope                                  | D  | Now()  |
| С       | Global scope                                 | 12 | Which function extracts the first 5 characters |
| D       | Module scope                                 |    | from a string in VBA?                          |
| 5       | Which variable recognized only within the    | А  | Right(str,5)                                   |
| •       | procedure in which it is declared?           | В  | Left(str,5)                                    |
| Α       | Local scope                                  | c  | Mid(str,5)                                     |
| в       | Module scope                                 | D  | Substr(str,5)                                  |
| С       | Global scope                                 | 13 | Which color of dot indicate the breakpoint in  |
| D       | Project scope                                | 15 | VBA?   |
| 6       | How many levels of variable scope available  | Α  | Grey   |
| -       | in VBA?                                      | В  | Yellow   |
| Α       | 2  | c  | Maroon   |
| в       | 3  | D  | Red  |
| С       | 4  | 14 | Which shortcut key is used to set the          |
| D       | 7  |    | properties of form while designing?            |
| 7       | What will be the output of the following VBA | Α  | F4   |
|         | code?  | В  | Ctrl + F4                                      |
|         | Debug.printformat(#1/1/2017#,"yyyy/mm/dd")   | c  | Alt + F4                                       |
| Α       | 1/1/2017                                     | D  | Shift + F4                                     |
| В       | Sun, Jan01, 2017                             |    |  |
| С       | 2017/01/01                                   |    |  |
| D       | Sunday, January 01, 2017                     |    |  |
|         |  | I  |  |

| 15 | Which shortcut key is used to open code       | 23       | How many numeric data types available in                                  |
|----|---|----------|---|
|    | window in VBA?                                |          | Excel VBA?  |
| Α  | F7  | Α        | 4   |
| В  | Alt + F7                                      | в        | 5   |
| С  | Ctrl + F7                                     | С        | 7   |
| D  | Shift + F7                                    | D        | 8   |
| 16 | Which code is used to display a user form in  | 24       | What is the another name for keywords in                                  |
|    | VBA?  |          | VBA?  |
| Α  | Load user Form1                               | Α        | Literals  |
| в  | User Form1.Show                               | в        | Variables   |
| С  | User Form1.Show False                         | С        | User defined words  |
| D  | User Form1.Load                               | D        | Reserved words  |
| 17 | Which mathematical function returns square    | 25       | Which key word is used to declare the                                     |
| ., | root of a specified number in VBA?            | 23       | variable in VBA?  |
| Α  | -   | Α        | Sub   |
|    | Sqt()   | B        | Declare   |
| B  | Squr()  |          |   |
| C  | Sqrt()  | C        | Dim   |
| D  | Sqr()   | D        | AS  |
| 18 | Which VBA function is used to convert the     | 26       | Which data type can hold any type of values                               |
| _  | string from uppercase to lowercase?           |          | in VBA?   |
| Α  | Lcase()                                       | Α        | Variant   |
| В  | Lower()                                       | В        | Variable  |
| С  | Ucase()                                       | С        | Constant  |
| D  | Upper()                                       | D        | Keyword   |
| 19 | Which of the following is logical operator in | 27       | Which entitie hold data in VBA?   |
|    | VBA?  | Α        | Literals  |
| Α  | +   | В        | Constants   |
| В  | -   | С        | Keywords  |
| С  | *   | D        | Variables   |
| D  | And   | 28       | Which worksheet method is used to copy a                                  |
| 20 | Which character is to be suffixed for long    |          | sheet to another location in the workbook?                                |
|    | data type in VBA?                             | Α        | Activate  |
| Α  | &   | в        | Сору  |
| В  | !   | С        | Save AS   |
| С  | #   | D        | Select  |
| D  | @   | 29       | Which VBA worksheet property return or                                    |
| 21 | What is the storage size of decimal data      |          | sets a string value that represents the object                            |
|    | type in VBA?                                  |          | name?   |
| Α  | 2 bytes                                       | Α        | Name  |
| В  | 4 bytes                                       | В        | Index   |
| c  | 8 bytes                                       | c        | Range   |
| D  | 12 bytes                                      | D        | Cells   |
| 22 |   | 30       |   |
| 22 | What is the storage size of currency data     | 30       | Which method displays the data form associated with the worksheet in VBA? |
| •  | type in VBA?                                  | •        |   |
| A  | 2 bytes                                       | A        | Copy  |
| B  | 4 bytes                                       | B        | Printout  |
| C  | 8 bytes                                       | C        | Show Data Form  |
| D  | 12 bytes                                      | <u>D</u> | Select  |
|    |   |          |   |

|         |  | . — |  |
|---------|--|-----|--|
| 31      | Which VBA property returns a range object    | 39  | Which box groups related controls into one     |
|         | that represents all the cells on the         |     | visual unit in a rectangle with an optional    |
|         | worksheet?                                   |     | label?   |
| Α       | Cells  | Α   | Label box                                      |
| В       | Rows   | В   | Group box                                      |
| С       | Index  | С   | List box                                       |
| D       | Name   | D   | Combo box                                      |
| 32      | Which object is member of the workbook?      | 40  | Which is used to create user interface         |
| Α       | Sheets                                       |     | forms?   |
| В       | Workbook                                     | Α   | C  |
| С       | Worksheet                                    | В   | VBA  |
| D       | Range  | С   | HTML   |
| 33      | Which type of work book method cannot be     | D   | Javascript                                     |
|         | modified in VBA?                             | 41  | Where does Excel come in object hierarchy      |
| Α       | Close  |     | of VBA?  |
| В       | Save   | Α   | Range object                                   |
| С       | Save AS                                      | в   | Workbook object                                |
| D       | Protect                                      | С   | Worksheet object                               |
| 34      | Which workbook property returns a string     | D   | Application object                             |
|         | value that represents the name of the object | 42  | Which shortcut key is used to open project     |
|         | in VBA?                                      |     | explorer window in VBA?                        |
| Α       | Full name                                    | Α   | Ctrl + R                                       |
| В       | Name   | в   | Ctrl + P                                       |
| С       | Path   | С   | Ctrl + W                                       |
| D       | Worksheets                                   | D   | Ctrl + E                                       |
| 35      | Which workbook property returns the name     | 43  | Which shortcut key is used to open VBA         |
|         | of the object including its path on disk in  |     | Editor from the Excel worksheet?               |
|         | VBA?   | Α   | Ctrl + F11                                     |
| Α       | Full name                                    | в   | Alt + F11                                      |
| В       | Name   | С   | Ctrl + V                                       |
| С       | Path   | D   | Ctrl + F7                                      |
| D       | Worksheets                                   | 44  | What is the Full form of IDE?                  |
| 36      | Which can hold lot of data with one variable | Α   | Integrated Development Element                 |
|         | in VBA?                                      | в   | Internal Development Environment               |
| Α       | Arrays                                       | С   | Integrated Development Environment             |
| В       | Collections                                  | D   | Internal Distributed Environment               |
| С       | Groups                                       | 45  | Which shortcut key is used to step into line - |
| D       | Methods                                      |     | by - line execution in VBA?                    |
| 37      | Which type of list box enables one choice of | Α   | F2   |
|         | adjacent choice in VBA?                      | в   | F4   |
| Α       | Drop down list                               | С   | F5   |
| В       | Single - selection list box                  | D   | F8   |
| С       | Multiple - selection list box                | 46  | What is called the set of commands bundled     |
| D       | Extended - selection list box                |     | together under one name?                       |
|         | Which button has three states in VBA?        | Α   | Properties                                     |
| 38      |  | в   | Macros   |
| 38<br>A | Option button                                |     | Madroo   |
|         | Option button<br>Spin button                 | C   | Procedures                                     |
| Α       | Option button<br>Spin button<br>Push button  |     |  |

| 47 | What is called the set of statement that are |
|----|--|
|    | executed under one name?                     |
| Α  | Macros                                       |
| В  | Properties                                   |
| С  | Procedures                                   |
| D  | Events                                       |
| 48 | Which one is attributes of an object in VBA? |
| Α  | Procedures                                   |
| в  | Events                                       |
| С  | Macros                                       |
| D  | Properties                                   |
| 49 | What is called double clicking an object in  |
|    | VBA?   |
| Α  | Events                                       |
| в  | Macros                                       |
| С  | Procedures                                   |
| D  | Methods                                      |
| 50 | Which is used to type / edit the             |
|    | programming code in VBA?                     |
| Α  | Form window                                  |
| В  | Properties window                            |
| С  | Immediate window                             |
| D  | Visual basic editor                          |
| 51 | What is the alternate name of Bugs?          |
| Α  | Errors                                       |
| В  | Keywords                                     |
| С  | Variables                                    |
| D  | Constants                                    |
| 52 | Which shortcut key is used to open the       |
|    | Visual Basic Editor In VBA?                  |
| Α  | Alt + F11                                    |
| В  | Ctrl + F11                                   |
| С  | Shift + F11                                  |
| D  | Shift + Ctrl + F11                           |
|    |  |

| <u></u> | action of Louis D                           |    | What is the network type of OOs a function in    |
|---------|---|----|--|
| Qu      | estions: Level 2                            | 8  | What is the return type of CSng function in VBA? |
| 1       | Which simplifies the work to be eliminating | Α  | Boolean  |
| -       | or rewriting the code in VBA?               | В  | Variant  |
| Α       | Class                                       | c  | Single   |
| В       | Object                                      | D  | String   |
| c       | Macros                                      | 9  | Which VBA code is used to load user form         |
| D       | Functions                                   | 9  | into memory but do not display?                  |
| 2       | Which type of variable can be accessed or   | Α  | User form1.Show                                  |
| 2       | used by subroutines outside the modules in  | В  | Load userform1                                   |
|         | VBA?  | C  | Userform1.load                                   |
| Α       | Static                                      | D  | Show userform1                                   |
| B       | Private                                     |    |  |
| Б<br>С  | Protect                                     | 10 | Which VBA code is used to remove the user        |
|         |   |    | form from memory?                                |
| D       | Public                                      | A  | Unload me  |
| 3       | Where there is no difference between dim    | B  | Userform1.hide                                   |
|         | and private in VBA?                         | С  | Unload userform1                                 |
| A       | Local scope                                 | D  | User form show false                             |
| В       | Module scope                                | 11 | Which window displays the watched                |
| С       | Global scope                                |    | expression including the one just added?         |
| D       | Project scope                               | Α  | Module window                                    |
| 4       | Which method is used to pass the reference  | В  | Immediate window                                 |
|         | to the arguments?                           | С  | Watch window                                     |
| Α       | Ref   | D  | Debug window                                     |
| В       | Val   | 12 | Which one is indicated by a red dot with a       |
| С       | Reference                                   |    | line of code highlighted in red in VBA?          |
| D       | By Ref                                      | Α  | Break point                                      |
| 5       | Which function is used to check whether the | В  | Start point                                      |
|         | given input is numeric or Not in VBA?       | С  | End point  |
| Α       | Numeric()                                   | D  | Error point                                      |
| В       | lsnumber()                                  | 13 | Which is used to repeats the same steps in       |
| С       | Isnumeric()                                 |    | case of frequency needed actions in VBA?         |
| D       | lsnum()                                     | Α  | Class  |
| 6       | Which function returns specified part of a  | В  | Object   |
|         | given date in VBA?                          | С  | Functions  |
| Α       | Day()                                       | D  | Macros   |
| В       | Datevalue()                                 | 14 | Which function returns the integer portion of    |
| С       | Datediff()                                  |    | a number in VBA?                                 |
| D       | Datepart()                                  | Α  | Int()  |
| 7       | Which function returns the difference       | в  | Format()   |
|         | between two date values based on the        | С  | Abs()  |
|         | interval specified in VBA?                  | D  | Sign()   |
| Α       | Datediff()                                  | 15 | Which function returns the hyperbolic cosine     |
| В       | Day()                                       |    | of the specified angle in VBA?                   |
| С       | Daydiff()                                   | Α  | Abs()  |
| D       | Datedif()                                   | в  | Cos()  |
|         |   | С  | Cosh()   |
|         |   | D  | hcos()   |
|         |   |    |  |
|         |   |    |  |
|         |   |    |  |

|        |  | . —      |   |
|--------|--|----------|---|
| 16     | Which mathematical function generates a        | 24       | Which is a proper object hierarchy in VBA?      |
|        | random number in VBA?                          | Α        | Worksheet, Workbook, Application, Range         |
| Α      | Random()                                       | В        | Range, Application, Worksheet, Workbook         |
| В      | Rnd()  | С        | Range, Worksheet, Workbook, Application         |
| С      | Rand()   | D        | Application, Workbook, Worksheet, Range         |
| D      | Round()  | 25       | What is the shortcut key to run the current     |
| 17     | Which operators are concatenation operator     |          | procedure in VBA?                               |
|        | in VBA?  | Α        | F2  |
| Α      | + and -  | в        | F4  |
| в      | & and -  | С        | F5  |
| С      | & and +  | D        | F8  |
| D      | & and *  | 26       | Which window displays the entire list of local  |
| 18     | Which type of words cannot use for any         |          | varibles and their current values in VBA?       |
|        | other purpose in VBA?                          | Α        | Locals window                                   |
| Α      | Literals                                       | B        | Watch window                                    |
| В      | Keywords                                       | c        | Immediate window                                |
| C      | Constants                                      | D        | Debugging window                                |
| D      | Variables                                      | 27       |   |
|        |  | 21       | Which window is similar to the locals           |
| 19     | Which is a series of items where all items     |          | window, but it is used to tracing the variables |
|        | share the same properties and methods in       |          | in VBA?   |
| _      | VBA?   | Α        | Call stack window                               |
| Α      | Arrays   | В        | Watch window                                    |
| В      | Groups   | С        | Immediate window                                |
| С      | Methods  | D        | Debugging window                                |
| D      | Collections                                    | 28       | Which shortcut key is used to open the          |
| 20     | Which button allows a single choice within a   |          | immediate window?                               |
|        | limited set of mutually exclusive choice?      | Α        | Ctrl + G  |
| Α      | Button   | В        | Ctrl + L  |
| В      | Option button                                  | С        | Alt + G   |
| С      | Spin button                                    | D        | Alt + L   |
| D      | Toggle button                                  | 29       | What is the another name trigger for an         |
| 21     | Which box has three states in VBA?             |          | action in VBA?                                  |
| Α      | List box                                       | Α        | Methods   |
| В      | Combo box                                      | в        | Modules   |
| С      | Check box                                      | С        | Events  |
| D      | Group box                                      | D        | Macros  |
| 22     | Which one creates a box with a scrollable      | 30       | Which shortcut key allows debugger to run       |
|        | list containing a number of input values in    |          | the current procedure and go line after line    |
|        | VBA?   |          | called the procedure in VBA?                    |
| Α      | Combo box                                      | Α        | Ctrl + Shift + F6                               |
| В      | Option button                                  | В        | Ctrl + Shift + F7                               |
| C      | Text box                                       | c        | Ctrl + Shift + F8                               |
| D      | List box                                       | D        | Ctrl + Shift + F9                               |
| 23     | Which control is suitable to collect the input | 31       | While debugging code, which statement           |
| 20     | from the user in VBA?                          |          | allows to go to the highlighted line?           |
| Α      | Label  | Α        | Step into                                       |
| B      | Text box                                       | B        | Step into                                       |
| Б<br>С | Command button                                 | C        | Step over                                       |
|        |  | -        | Show next                                       |
| D      | User form                                      | <u>D</u> |   |
|        |  |          |   |

- **32** Which control is used to increase or decrease a value, such as a number time or date?
- A Scroll Bar
- B Spin Button
- **C** Combo Box
- D Toggle Button

|       | · · · · · · · · · · · · · · · · · · ·           | I —      |  |
|-------|---|----------|--|
| Qu    | estions: Level 3                                | 6        | What will be the output of the following VBA code? |
| 1     | Which VBA function compares given strings       |          | Sub test()   |
| •     | and returns -1 if the first string is smaller   |          | Dim S AS string                                    |
|       | than the second string, returns 0 if both are   |          | S = "wholehearted"                                 |
|       |   |          |  |
|       | equal and 1 if the first string is greater than |          | Debug.Print mid(s,6,4)<br>End sub                  |
| •     | second string?                                  | •        |  |
| A<br> | Stromp  | A        | arte   |
| 3     | Strcomp   | B        | hear   |
| 2     | Compare   | C        | hole   |
| D     | Scmp  | D<br>    | eart   |
| 2     | Which scope does the variable declared with     | 7        | What will be the output of the following VBA       |
|       | dim and remains in the existance only as        |          | code?  |
|       | long as the procedure in which if is declared   |          | Sub test()   |
| _     | is running?                                     |          | a = " Computer operator"                           |
| A     | Global scope                                    |          | Debug.Print left(a,10)                             |
| 3     | Local scope                                     |          | End sub  |
| )     | Module scope                                    | Α        | Operator   |
| )     | Project scope                                   | В        | Computer o   |
| 6     | What will be the output of the following VBA    | С        | Computer   |
|       | code?   | D        | Computer operator                                  |
|       | Sub test()                                      | 8        | What will be the output of the following VBA       |
|       | a = 9   |          | code?  |
|       | Debug.Print Sqr(a)                              |          | Sub test()   |
|       | End sub   |          | Dim I as integer                                   |
| 4     | 3   |          | Dim S as string                                    |
| 3     | 9   |          | S = "Time is money"                                |
| 2     | 18  |          | I = Ien(s)   |
| 2     | 81  |          | Debug.print "The length is " & I                   |
| 1     | What will be the output for the following VBA   |          | End sub  |
| -     | code?   | Α        | 13   |
|       | Debug.print                                     | в        | The length is 11                                   |
|       | DateDiff("yyyy","1/12/2016","31/1/2017")        | С        | The length is 13                                   |
| 4     | 0   | D        | THE LENGTH IS 13                                   |
| 3     | 1   | 9        | What will be the output of the following VBA       |
| 5     | 11  | 5        | function?  |
| 5     | 30  |          | Sub stg()  |
| 5     | What will be the output of the following VBA    |          | Str = "Mathematics"                                |
| )     | code?   |          | Debug.Print right(str,6)                           |
|       | Sub test()                                      |          | End sub  |
|       | Sub test()<br>x = "institue"                    | Α        | matics   |
|       |   | B        | Mathem   |
|       | Debug.print Format(x,">")                       | C        | Mathemat   |
|       | End sub   | _        |  |
| 4     | Institute                                       | <u>D</u> | Mathematics  |
| 3     | institute                                       |          |  |
| 2     | INSTITUTE                                       |          |  |
| D     | instiTUTE                                       |          |  |

### Module 2 : Programming with VBA - Key paper

### Questions: Level 1

Questions: Level 2

Key

SL.No

| SL.No  | Key  |
|--|--|
| 1  | D  |
| 2  | С  |
| 2<br>3<br>4<br>5<br>6<br>7<br>8<br>9<br>10   | A  |
| 4  | D  |
| 5  | A  |
| 6  | C  |
| /  |  |
| 0  | D<br>B   |
| 9<br>10  | Δ  |
| 10   |  |
| 12   | B  |
| 13   | D  |
| 14   | A  |
| 15   | Α  |
| 16   | В  |
| 17   | D  |
| 18   | A  |
| 19   | D  |
| 20   | Α  |
| 21   | D  |
| 22   | С  |
| 23   | С  |
| 24   | D  |
| 25   | С  |
| 26   | А  |
| 11         12         13         14         15         16         17         18         19         20         21         22         23         24         25         26         27         28         29 | D<br>C<br>A<br>D<br>A<br>C<br>C<br>B<br>B<br>B<br>A<br>D<br>A<br>A<br>D<br>A<br>A<br>D<br>A<br>A<br>D<br>A<br>C<br>C<br>C<br>C<br>D<br>C<br>C<br>D<br>C<br>C<br>A<br>A<br>D<br>C<br>C<br>A<br>A<br>D<br>A<br>A<br>A<br>A |
| 28   | В  |
| 29   | Α  |
| 30   | С  |
| 31   | Α  |
| 32   | С  |
| 33   | D  |
| 34   | В  |
| 35   | A  |
| 36   | В  |
| 37   | С  |
| 38   | А  |

| SL.No | Key |
|-------|-----|
| 39    | В   |
| 40    | В   |
| 41    | D   |
| 42    | А   |
| 43    | В   |
| 44    | С   |
| 45    | D   |
| 46    | В   |
| 47    | С   |
| 48    | D   |
| 49    | А   |
| 50    | D   |
| 51    | А   |
| 52    | А   |

| 1                                      | С   |  |
|--|---|--|
| 2                                      | C<br>D  |  |
| 3<br>4<br>5<br>6                       | В   |  |
| 4                                      | D   |  |
| 5                                      | С   |  |
| 6                                      | D   |  |
| 7                                      | A   |  |
| 8                                      | C   |  |
| 9                                      | В   |  |
| 10                                     | C   |  |
| 11                                     | C   |  |
| 12                                     | A   |  |
| 13<br>14<br>15<br>16                   | D   |  |
| 14                                     | A   |  |
| 15                                     | C   |  |
|  | В   |  |
| 17                                     | С   |  |
| 18                                     | В   |  |
| 19                                     | D   |  |
| 20                                     | В   |  |
| 21                                     | С   |  |
| 22                                     | B           D           C           D           A           C           B           C           A           D           A           C           B           C           B           C           B           C           B           C           B           C           B           C           B           C           B           D           B           C           B           D           B           C           B           C           B           C           B           C           D           B           C           D           B           C           D           B           C           D           B           C           D           B |  |
| 23                                     | В   |  |
| 24                                     | D   |  |
| 20<br>21<br>22<br>23<br>24<br>25<br>26 | С   |  |
| 26                                     | А   |  |
| 27                                     | В   |  |
| 28                                     | A   |  |
| 29                                     | С   |  |
| 30                                     | D<br>C<br>A<br>B<br>A<br>C<br>C<br>C<br>D   |  |
| 31                                     | D   |  |
| 32                                     | В   |  |
|  |   |  |

| SL.No | Key |
|-------|-----|
| 1     | А   |
| 2     | В   |
| 3     | A   |
| 4     | В   |
| 5     | С   |
| 6     | В   |
| 7     | В   |
| 8     | С   |
| 9     | A   |

# Computer Operator and Programming Assistant 2<sup>nd</sup> Semester -Module 3 : Using Accounting Software

| Qu | estions: Level 1                             | 8        | Which function key is used to record fund     |
|----|--|----------|---|
|    |  |          | transfer between cash and bank account?       |
| 1  | What type of software is Tally?              | Α        | F4  |
| Α  | Accounting Software                          | В        | F5  |
| В  | Application Software                         | С        | F6  |
| С  | Language Translator                          | D        | F7  |
| D  | System Software                              | 9        | Which document is issued by the receiver of   |
| 2  | What is the purpose of financial             |          | cash to the giver of cash acknowledging the   |
|    | management feature in Tally?                 |          | cash received voucher?                        |
| Α  | Importing and exporting data                 | Α        | Ledgers                                       |
| В  | For stock transfer                           | В        | Journals                                      |
| С  | To get daily balances and Transaction value  | С        | Receipts                                      |
| D  | To prepare purchase records                  | D        | Vouchers                                      |
| 3  | Which area in Tally screen provides quick    | 10       | What is a summarized record of all the        |
|    | access to different options?                 |          | transactions to every person, every property  |
| Α  | Button bar                                   |          | and every type of service?                    |
| В  | Calculator                                   | Α        | Account                                       |
| С  | Product info                                 | в        | Journals                                      |
| D  | Work area                                    | С        | Ledgers                                       |
| 4  | Which is prepared to ascertain actual profit | D        | Vouchers                                      |
|    | or loss of the business?                     | 11       | Which is the main book of final entry for     |
| Α  | Balance sheet                                |          | accounts?                                     |
| В  | Book-keeping                                 | Α        | Balance sheet                                 |
| С  | Profit and loss account                      | в        | Ledger  |
| D  | Trading account                              | С        | Receipts                                      |
| 5  | What is meant by current date in Tally?      | D        | Vouchers                                      |
| Α  | Calendar date                                | 12       | What is termed as excess of credit side total |
| В  | Last voucher date                            |          | amount over debit side total amount in profit |
| С  | Last worked date                             |          | and loss account?                             |
| D  | System date                                  | Α        | Credit  |
| 6  | Which are the things and properties for      | в        | Debit   |
|    | resale that converts into cash?              | С        | Loss  |
| Α  | Current assets                               | D        | Profit  |
| В  | Business Transaction                         | 13       | Which book is used to record transactions     |
| С  | Liabilities                                  |          | relating to return of goods to suppliers?     |
| D  | Purchase                                     | Α        | Purchase Book                                 |
| 7  | Who receives benefits without giving money   | в        | Purchase Return Book                          |
|    | immediately but liable to pay in future?     | С        | Sales Book                                    |
| Α  | Creditor                                     | D        | Sales Return Book                             |
| В  | Debtor                                       | 14       | Which is a statement of assets and            |
| С  | Owner  |          | liabilities?                                  |
| D  | Worker                                       | Α        | Balance sheet                                 |
|    |  | В        | Journals                                      |
|    |  | c        | Ledgers                                       |
|    |  | D        | Trial balance                                 |
|    |  | <u> </u> |   |

| 45     |   |
|--------|---|
| 15     | Which accounting system is incomplete and       |
| •      | unscientific?                                   |
| A      | Double Entry System                             |
| В      | Single Entry System                             |
| С      | Triple Entry System                             |
| D      | Multi Entry System                              |
| 16     | What is the rule for real account?              |
| Α      | Debtor the receiver, Creditor the giver         |
| В      | Debtor the giver, Creditor the receiver         |
| С      | Debit comes in, Credit goes out                 |
| D      | Debit goes out, Credit comes in                 |
| 17     | Which shortcut key is used to activate          |
|        | calculator in Tally?                            |
| Α      | Ctrl + C  |
| в      | Ctrl + M  |
| С      | Ctrl + N  |
| D      | Ctrl + T  |
| 18     | Which activity in Tally is used to find out the |
|        | financial position of the organisation?         |
| Α      | Balance sheet                                   |
| В      | Book-keeping                                    |
| C      | Trading   |
| D      | Profit and loss                                 |
| 19     | What is referred to as buying and selling of    |
| 19     | goods?  |
| Α      | Normal account                                  |
| В      | Real account                                    |
| C      | Profit and loss account                         |
| D      | Trading account                                 |
| 20     | Which factor determines the cost of the         |
| 20     |   |
|        | product?  |
| A      | Direct cost                                     |
| B      | Elements of cost                                |
| C      | Indirect cost                                   |
| D      | Standard cost                                   |
| 21     | What is the shortcut key to export the report   |
| -      | in ASCII, SDF, HTML or XML format?              |
| A      | Alt + C   |
| В      | Alt + D   |
| С      | Alt + E   |
| D      | Alt + X   |
| 22     | Who gives benefits without receiving            |
|        | money, but will claim in future?                |
|        |   |
| Α      | Creditor  |
| A<br>B | Creditor<br>Debtor                              |
|        |   |
| В      | Debtor  |

| Questions: Level 2 |  | 7      | Which combination of key is used to change      |
|--------------------|--|--------|---|
| 4                  | Which is the ledger grouping for hills                           |        | the financial period in Tally?<br>F2            |
| 1                  | Which is the ledger grouping for bills receivable in Tally ERP9? | A<br>B | FZ<br>Alt + F2                                  |
| Α                  | Fixed asset  | C      | Ctrl + F2                                       |
| В                  | Current asset  | D      | Shift + F2                                      |
| c                  | Direct expenses  | 8      | Which combination of key is used to open        |
| D                  | Indirect expenses  | 0      | "Tally Reference Manual"?                       |
| 2                  | What is the purpose of financial                                 | Α      | Alt + H   |
| -                  | management feature in Tally?                                     | В      | Alt + M   |
| Α                  | Handles different types of vouchers                              | c      | Alt + R   |
| В                  | Allows importing and exporting data                              | D      | Alt + T   |
| C                  | Provides budgeting option  | 9      | Which function of key is used the list / select |
| D                  | Provides option for data backup                                  | 5      | a company in Tally?                             |
| 3                  | What is the purpose of Inventory                                 | Α      | F1  |
| 5                  | Management Feature in Tally?                                     | B      | F3  |
| Α                  | Provides option for data backup                                  | C      | F5  |
| В                  | Provides all relevant information for any                        | D      | F7  |
| 2                  | stock item in a single screen                                    | 10     | Where does the transactions are entered,        |
| С                  | Provides daily balance and transaction                           |        | before taken to the appropriate ledger          |
| •                  | value  |        | account?  |
| D                  | Provides option to upload reports on the                         | Α      | Balance sheet                                   |
| _                  | website directly   | В      | Journals  |
| 4                  | What is the purpose of security feature in                       | c      | Receipts  |
|                    | Tally?   | D      | Vouchers  |
| Α                  | Provides budget option   | 11     | Which term is used for the amount invested      |
| в                  | Provides option for data backup                                  |        | for starting a business by a person?            |
| С                  | Provides option to upload reports                                | Α      | Asset   |
| D                  | Provides statement of accounts                                   | в      | Capital   |
| 5                  | Which term is used for receiving aspects of                      | С      | Debit   |
|                    | a transaction?   | D      | Liabilities                                     |
| Α                  | Credit   | 12     | What is the purpose of Technological            |
| В                  | Debit  |        | feature in Tally?                               |
| С                  | Profit   | Α      | Allows importing and exporting data             |
| D                  | Receipt  | в      | Flexible units of measure                       |
| 6                  | What is the purpose of Tally audit feature in                    | С      | Provides budgeting option                       |
|                    | Tally ERP 9?   | D      | Provides option for data backup                 |
| Α                  | Allows easy analysis of result / reports with                    | 13     | Which term is used for giving aspect of a       |
|                    | graphical values   |        | transaction?                                    |
| В                  | Allows statutory reporting for VAT, CST,                         | Α      | Credit  |
|                    | TCS, TDS, FBT, GST   | в      | Debit   |
| С                  | Allows splitting of company data into                            | С      | Journal   |
|                    | multiple compaines   | D      | Voucher   |
| D                  | Verify, validate and accept accounting                           |        |   |
|                    | information  |        |   |
|                    |  |        |   |
|                    |  | I      |   |

| 14          | Which term is used for all the amounts          | 22     | Which sequence of option is used to view                         |
|-------------|---|--------|--|
|             | payable by a business concern to                |        | the trial balance on the screen?                                 |
|             | outsiders?                                      | Α      | Gateway of Tally $\rightarrow$ Trial balance                     |
| Α           | Assets  | В      | Gateway of Tally $\rightarrow$ Display $\rightarrow$ Trial       |
| В           | Capitals  |        | Balance  |
| С           | Debits  | С      | Gateway of Tally $\rightarrow$ Accounts Info $\rightarrow$ Trial |
| D           | Liabilities                                     |        | Balance  |
| 15          | Which is a statement of all the ledger          | D      | Geteway of Tally $\rightarrow$ Display $\rightarrow$ Account     |
|             | account balance prepared at the end of          |        | Book $\rightarrow$ Trial balance                                 |
|             | particular period to verify the accuracy of the | 23     | Which report displays the summary of all the                     |
|             | entries?  | 23     | cost centres under a cost category?                              |
| •           |   |        |  |
| A           | Journals  | A      | Category summary   |
| B           | Receipts  | B      | Cost centre Break-up   |
| С           | Trial Balance                                   | С      | Group Break-up   |
| D           | Vouchers  | D      | Ledger break-up  |
| 16          | What is the purpose of Ctrl + Q key is the      | 24     | Which function key is used to enter                              |
|             | Gateway of Tally screen?                        |        | purchase?  |
| Α           | Close the tally screen                          | Α      | F6   |
| В           | Quit tally current screen                       | в      | F7   |
| С           | Exit with confirmation                          | С      | F8   |
| D           | Exit without confirmation                       | D      | F9   |
| 17          | What is the purpose of Alt + W key in Tally?    | 25     | Which function key is used to enter receipts?                    |
| Α           | Change the financial period                     | Α      | F2   |
| В           | Invoke Tally Reference Manual                   | В      | F4   |
| c           | Open default web browser                        | c      | F6   |
| D           | Exist Tally without confirmation                | D      | F8   |
|             | -   |        |  |
| 18          | Which combination of function key is used to    | 26     | Which shortcut key is used to open debit                         |
|             | open inventory voucher's entry menu?            |        | Note Voucher?  |
| A           | Alt + F1  | A      | Alt + F9   |
| В           | Alt + F3  | B      | Alt + F10  |
| С           | Alt + F5  | С      | Ctrl + F9  |
| D           | Alt + F7  | D      | Ctrl + F10   |
| 19          | Which combination of key is used to save        | 27     | Which shortcut key is used to remove a line                      |
|             | the information in Tally?                       |        | in a report in report screen?                                    |
| Α           | Ctrl + A  | Α      | Alt + I  |
| В           | Ctrl + I  | В      | Alt + R  |
| С           | Ctrl + S  | С      | Alt + S  |
| D           | Ctrl + X  | D      | Alt + X  |
| 20          | Which shortcut key is used to shut a            | 28     | Which feature offers a parallel classification                   |
|             | company from the gateway of Tally screen?       |        | of stock item?   |
| Α           | Alt + F1  | Α      | Stock categories   |
| в           | Alt + F3  | в      | Stock group  |
| С           | Alt + F5  | С      | Stock item   |
| D           | Alt + F7  | D      | Stock query  |
| 21          | Which register is used to post the journal      | 29     | Which budget is prepared for a very short                        |
| - 1         | entries periodically?                           | 23     | period?  |
| ^           | Bill book                                       | •      | •  |
| Α           |   | A      | Current budget<br>Long term budget                               |
| Р           | Cash bask                                       | В      |  |
| B           | Cash book                                       |        |  |
| B<br>C<br>D | Cash book<br>Ledger<br>Trial balance            | C<br>D | Rolling budget<br>Short term budget                              |

| 30 | Which ratio evaluate the availability of cash |
|----|---|
|    | to pay debit?                                 |
| Α  | Activity ratio                                |
| В  | Debit ratio                                   |
| С  | Liquidity ratio                               |
| D  | Market ratio                                  |
| 31 | Which function key is used to enter           |
|    | payment?                                      |
| Α  | F3  |
| в  | F5  |
| С  | F7  |
| D  | F9  |
| 32 | Which report displays ledgers and group       |
|    | summary information for the selected cost     |
|    | centre?                                       |
| Α  | Category summary                              |
| В  | Cost centre Break-up                          |
| С  | Ledger break-up                               |
| D  | Group Break-up                                |
| 33 | Which name indicates the decreasing value     |
|    | of an Asset?                                  |
| Α  | Current asset                                 |
| В  | Depreciation                                  |
| С  | Indirect expenses                             |
| D  | Sundry debitor                                |
| 34 | Which shortcut key is used to cancel a        |
|    | voucher in Day book / List of vouchers in     |
|    | Tally?  |
| Α  | Alt + D                                       |
| В  | Alt + I                                       |
| С  | Alt + S                                       |
| D  | Alt + X                                       |
|    |   |

# Module 3 : Using Accounting Software - Key paper

### Questions: Level 1

| SL.No                                | Key  |
|--------------------------------------|--|
|                                      | A  |
| 1<br>2<br>3<br>4<br>5<br>6<br>7<br>8 | С  |
| 3                                    | А  |
| 4                                    | С  |
| 5                                    | С  |
| 6                                    | А  |
| 7                                    | В  |
| 8                                    | А  |
| 9                                    | С  |
| 10                                   | A  |
| 11                                   | В  |
| 12                                   | D  |
| 13                                   | В  |
| 14                                   | A  |
| 15                                   | В  |
| 16                                   | С  |
| 17                                   | С  |
| 18                                   | A  |
| 19                                   | D  |
| 20                                   | A<br>C<br>A<br>C<br>C<br>A<br>B<br>A<br>C<br>A<br>B<br>D<br>B<br>A<br>B<br>C<br>C<br>C<br>C<br>A<br>B<br>B<br>C<br>C<br>C<br>A<br>B<br>B<br>B<br>C<br>C<br>C<br>B<br>B<br>B<br>B |
| 21                                   | C<br>A   |
| 22                                   | A  |

| SL.No   | Кеу   |
|---|---|
| 1   | B<br>C  |
| 2   | С   |
| 3   | В   |
| 3<br>4<br>5   | B<br>B<br>B   |
|   | В   |
| 6<br>7<br>8   | D   |
| 7   | В   |
| 8   | A   |
| 9   | A   |
| 10  | В   |
| 11<br>12  | В   |
| 12  | A   |
| 13<br>14<br>15<br>16  | A   |
| 14  | D   |
| 15  |   |
| 16  |   |
| 10  |   |
| 10  | A   |
| 19  | A   |
| 20  | A   |
| 21  | C   |
| 22  | В   |
| 23  | A   |
| 24  | D   |
| 25  | C   |
| 26  | С   |
| 27  | В   |
| 18         19         20         21         22         23         24         25         26         27         28         29 | D<br>B<br>A<br>A<br>B<br>B<br>A<br>A<br>D<br>C<br>D<br>C<br>C<br>A<br>A<br>A<br>A<br>C<br>B<br>A<br>C<br>B<br>A<br>C<br>C<br>B<br>A<br>A<br>C<br>C<br>C<br>B<br>A<br>C<br>C<br>C<br>C |
| 29  | А   |
| 30  | C   |
| 31  | В   |
| 32  | В   |
| 33  | В   |
| 34  | D   |

# Computer Operator and Programming Assistant 2<sup>nd</sup> Semester -Module 4 : E - Commerce

| Qu | estions: Level 1                          | 8  | What is the full form of COD in E -          |
|----|---|----|--|
| _  |   |    | Commerce?                                    |
| 1  | What is the full form of EDI?             | Α  | Cash on Delivery                             |
| Α  | Electronic Data Interchange               | В  | Cash on Demand                               |
| В  | Electronic Direct Interchange             | С  | Commerce on Delivery                         |
| С  | Electronic Data Information               | D  | Cart on Delivery                             |
| D  | Electronic Data Interconnection           | 9  | Which one is E - Commerce site?              |
| 2  | What is the abbreviation of CGI?          | Α  | Yahoo  |
| Α  | Computer Gateway Interface                | в  | Bing   |
| В  | Common Gateway Interface                  | С  | Google                                       |
| С  | Computer Gateway Interconnection          | D  | Amazon                                       |
| D  | Common Gateway Interconnection            | 10 | Which one is a online payment?               |
| 3  | Which type of E - Commerce is payment     | Α  | Flipkart                                     |
|    | Gateway?                                  | В  | Paytm  |
| Α  | b2b                                       | С  | Gmail  |
| В  | b2c                                       | D  | Reliance jio                                 |
| С  | g2c                                       | 11 | Which type of attack is a method of          |
| D  | g2b                                       |    | defeating a cryptographic scheme of trying a |
| 4  | Which type of E - Commerce is tenders and |    | large number of possibilities?               |
|    | submission of application?                | Α  | Teardrop attack                              |
| Α  | b2b                                       | В  | Brute force attack                           |
| в  | b2c                                       | c  | Phlashing                                    |
| С  | g2c                                       | D  | Smurf attack                                 |
| D  | g2b                                       |    |  |
| 5  | Which type of E - Commerce is Amazon?     |    |  |
| A  | b2b                                       |    |  |
| В  | b2c                                       |    |  |
| С  | g2b                                       |    |  |
| D  | g2c                                       |    |  |
| 6  | What is called sale or purchase of items  |    |  |
| •  | without physically visiting a shop?       |    |  |
| Α  | E - Commerce                              |    |  |
| В  | POS                                       |    |  |
| c  | Traditional Commerce                      |    |  |
| D  | E - Service                               |    |  |
| 7  | Which scope of E- Commerce business       |    |  |
| •  | platforms like amazon, ebay, etc?         |    |  |
| Α  | National                                  |    |  |
| В  | Local                                     |    |  |
| c  | Global                                    |    |  |
| D  | Virtual                                   |    |  |
|    |   |    |  |
|    |   |    |  |
|    |   |    |  |
|    |   |    |  |
|    |   |    |  |
|    |   |    |  |

| 1       Which is the model in E - Commerce, if the seller and buyer are both business firms?       A       Credit card       B       Paypal         2       Which is the model in E - Commerce, if the seller is a business and the individual is an consumer to Business       D       D       D       D       Which is the model in E - Commerce, if the seller is a business and the individual is an consumer to Business       A       Availability       B       Integrity       C       A valiability       B       Integrity       C       Availability       Integrity       Integrity       Integrity       Integrity       Integrity<  |     | ational Lavel 2                            |    | Which could powerte colling a second of |
|--|-----|--|----|---|
| 1       Which is the model in E - Commerce, if the seller and buyer are both business firms?       A       Credit card       B       Paypal         A       Consumer to Business       B       Debit card       D       Wallet       9         2       Which is the model in E - Commerce, if the seller is a business and the individual is an consumer?       A       A vailability       B       Integrity         2       Consumer to Business       B       Business to Consumer       C       A vailability       B       Integrity       C       A durthenticity       D       Confidentiality       D       Confidentiality       D       Consumer to Business       D       Consumer to Consumer       A       A vailability       D       D       Confidentiality       D       Consumer to Business       D       Consumer to Business       D       Confidentiality       D       Consumer to Business       D       Confidentiality       D   | ≀ue | STIONS: LEVEI 2                            | 8  | Which card permits online payment using |
| <ul> <li>seller and buyer are both business firms?</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>Which is the model in E - Commerce, if the seller is a business and the individual is an consumer?</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>Which is the model in E - Commerce, if the seller is an individual and the buyer is a business firm?</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Consumer</li> <li>C Business to Business</li> <li>B Business to Consumer</li> <li>C Consumer to Business</li> <li>B Business to Consumer</li> <li>C Consumer to Business</li> <li>B Business to Consumer</li> <li>C Consumer to Business</li> <li>B Business to Consumer</li> <li>C Subiness to Business</li> <li>D Consumer to Consumer</li> <li>C Subiness to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>B Business to Consumer</li> <li>C Subsiness to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>B Business to Consumer</li> <li>C Subsiness to Business</li> <li>B Cart</li> <li>C CoD</li> <li>Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>   |     | Which is the model in E. Commerce if the   | •  |   |
| <ul> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>2 Which is the model in E - Commerce, if the seller is an individual and the buyer is a business to Consumer</li> <li>3 Which is the model in E - Commerce, if the seller is an individual and the buyer is a business to Consumer</li> <li>C Business to Business</li> <li>B Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Business</li> <li>D Consumer to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>C Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Business</li> <li>D Consume</li></ul> |     |  | _  |   |
| B       Business to Consumer         C       Business to Business         D       Consumer to Consumer         2       Which is the model in E - Commerce, if the seller is a business to Business         B       Business to Consumer         C       Business to Business         D       Consumer to Business         D       Consumer to Consumer         3       Which is the model in E - Commerce, if the seller is an individual and the buyer is a business to Consumer         C       Business to Consumer         A       Consumer to Business         B       D         C       Business to Consumer         C       Business to Consumer         A       Consumer to Business         D       Consumer to Business         D       Consumer to Business         D       Consumer to Consumer         4       Which is the model in E - Commerce, if the seller and the buyer are the both individuals?         4       Consumer to Consumer         5       Which option in E - Commerce, helps to keep selected products until checkout / payment?         A       Basket         B       Cart         C       Tray         D       Cocondifter function of specifying access rights to resour   |     |  |    |   |
| CBusiness to BusinessDConsumer to Consumer2Which is the model in E - Commerce, if the<br>seller is a business to ConsumerAConsumer to BusinessBBusiness to ConsumerCBusiness to Consumer3Which is the model in E - Commerce, if the<br>seller is an individual and the buyer is a<br>business form?AConsumer to BusinessDConsumer to BusinessDConsumer to BusinessDConsumer to BusinessDConsumer to BusinessDConsumer to ConsumerCBusiness to BusinessDConsumer to ConsumerCBusiness to BusinessDConsumer to Consumer4Which is the model in E - Commerce, if the<br>seller and the buyer are the both<br>individuals?AConsumer to ConsumerCBusiness to ConsumerCBusiness to ConsumerCBusiness to ConsumerCBusiness to ConsumerCBusiness to ConsumerDConsumer to BusinessDConsumer to ConsumerSWhich option in E - Commerce, helps to<br>keep selected products until checkout /<br>payment?ABACartCTrayDCoD6Which is the function of specifying access<br>rights to resources related to information<br>security?AOTPBPinCAuthoriztionDPasscode  |     |  |    |   |
| <ul> <li>D Consumer to Consumer</li> <li>Which is the model in E - Commerce, if the seller is a business to Business</li> <li>B Business to Business</li> <li>Consumer to Consumer</li> <li>Which is the model in E - Commerce, if the seller is an individual and the buyer is a business to Business</li> <li>B Business to Consumer</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>A Consumer to Business</li> <li>D Consumer to Consumer</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>C Business to Business</li> <li>B Business to Business</li> <li>D Consumer to Consumer</li> <li>C Business to Business</li> <li>B Business to Business</li> <li>D Consumer to Consumer</li> <li>C Business to Business</li> <li>B Business to Business</li> <li>B Business to Business</li> <li>D Consumer to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>G Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>   |     |  |    |   |
| 2Which is the model in E - Commerce, if the<br>seller is a business and the individual is an<br>consumer?AAvailabilityAConsumer to BusinessBIntegrityCAuthenticityBBusiness to ConsumerCBusiness to BusinessDConfidentiality3Which is the model in E - Commerce, if the<br>seller is an individual and the buyer is a<br>business firm?AAvailabilityAConsumer to BusinessBBusiness to ConsumerCCBusiness to ConsumerCAuthenticityDConsumer to BusinessDConsumer to Consumer4Which is the model in E - Commerce, if the<br>seller and the buyer are the both<br>individuals?BBuying and selling products4Consumer to BusinessBBB5Which option in E - Commerce, helps to<br>keep selected products until checkout /<br>payment?BE - Commerce gateway5Which is the function of specifying access<br>rights to resources related to information<br>security?BNon technical attack6Which is the function of specifying access<br>rights to resources related to information<br>security?SS6Which is the function of specifying access<br>rights to resources related to information<br>security?SS7A OTPPin<br>CAuthoriztionS9PasscodeSSS   | -   |  | 9  |   |
| <ul> <li>seller is a business and the individual is an consumer?</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>Which is the model in E - Commerce, if the seller is an individual and the buyer is a business firm?</li> <li>A Consumer to Business</li> <li>B Business to Business</li> <li>D Consumer to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>Which is the model in E - Commerce, if the seller and the buyer are the both individuals?</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>S Which option in E - Commerce, helps to keep selected products until checkout / payment?</li> <li>A Basket</li> <li>B Cart</li> <li>C Tray</li> <li>D COD</li> <li>Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>B Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>  |     |  | •  |   |
| <ul> <li>consumer?</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>Consumer to Consumer</li> <li>Which is the model in E - Commerce, if the seller is an individual and the buyer is a business firm?</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Authenticity</li> <li>B Business to Consumer</li> <li>C Authenticity</li> <li>B Business to Consumer</li> <li>C Authenticity</li> <li>B Business to Business</li> <li>D Consumer to Consumer</li> <li>Which is the model in E - Commerce, if the seller and the buyer are the both individuals?</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Susiness to Business</li> <li>B Business to Consumer</li> <li>C Consumer to Business</li> <li>B Business to Consumer</li> <li>C Consumer to Consumer</li> <li>Which option in E - Commerce, helps to keep selected products until checkout / payment?</li> <li>A Basket</li> <li>B Cart</li> <li>C CoD</li> <li>Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>B Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>  |     |  |    | 5                                       |
| <ul> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>Consumer to Consumer</li> <li>Which is the model in E - Commerce, if the seller is an individual and the buyer is a business firm?</li> <li>A Consumer to Business</li> <li>D Consumer to Business</li> <li>D Consumer to Consumer</li> <li>C Business to Consumer</li> <li>C Business to Consumer</li> <li>C Consumer to Consumer</li> <li>Which is the model in E - Commerce, if the seller and the buyer are the both individuals?</li> <li>A Consumer to Business</li> <li>D Consumer to Business</li> <li>D Consumer to Business</li> <li>D Consumer to Business</li> <li>D Consumer to Consumer</li> <li>Which is the model in E - Commerce, if the seller and the buyer are the both individuals?</li> <li>A Consumer to Business</li> <li>D Consumer to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>S Which option in E - Commerce, helps to keep selected products until checkout / payment?</li> <li>A Basket</li> <li>B Cart</li> <li>C ConD</li> <li>G Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>B Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>   |     |  |    | • •                                     |
| <ul> <li>Business to Consumer</li> <li>Consumer to Consumer</li> <li>Which is the model in E - Commerce, if the seller is an individual and the buyer is a business to Consumer</li> <li>Consumer to Business</li> <li>Business to Consumer</li> <li>Consumer to Consumer</li> <li>Consumer to Consumer</li> <li>Which is the model in E - Commerce, if the seller and the buyer are the both individuals?</li> <li>Consumer to Business</li> <li>Business to Business</li> <li>Consumer to Business</li> <li>Business to Consumer</li> <li>Which is the model in E - Commerce, if the seller and the buyer are the both individuals?</li> <li>Consumer to Business</li> <li>Business to Business</li> <li>Business to Consumer</li> <li>Consumer to Consumer</li> <li>Which is the function in E - Commerce, helps to keep selected products until checkout / payment?</li> <li>A Basket</li> <li>B Conf</li> <li>Cond</li> <li>Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>B Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>  |     |  |    | -                                       |
| <ul> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>Which is the model in E - Commerce, if the seller is an individual and the buyer is a business firm?</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>Which is the model in E - Commerce, if the seller and the buyer are the both individuals?</li> <li>A Consumer to Business</li> <li>B Business to Business</li> <li>D Consumer to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>S Which option in E - Commerce, helps to keep selected products until checkout / payment?</li> <li>A Basket</li> <li>B Cart</li> <li>C Tray</li> <li>D COD</li> <li>G Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>B Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>   | -   |  |    | -                                       |
| DConsumer to Consumer3Which is the model in E - Commerce, if the<br>seller is an individual and the buyer is a<br>business firm?AAvailability4Consumer to BusinessBIntegrity5Consumer to ConsumerCSearching Documents4Which is the model in E - Commerce, if the<br>seller and the buyer are the both<br>individuals?BBuying and selling products4Which is the model in E - Commerce, if the<br>seller and the buyer are the both<br>individuals?BBuying and selling products4Consumer to BusinessBBuying and selling productsC5Which option in E - Commerce, helps to<br>keep selected products until checkout /<br>payment?BE - Commerce gateway5Which is the function of specifying access<br>rights to resources related to information<br>security?BE - Wallets6Which is the function of specifying access<br>rights to resources related to information<br>security?DSmurf attack6Which isting many<br>passcodeDSmurf attack   | -   |  | 10 |   |
| <ul> <li>Which is the model in E - Commerce, if the seller is an individual and the buyer is a business firm?</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>Which is the model in E - Commerce, if the seller and the buyer are the both individuals?</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Consumer to Consumer</li> <li>C Searching Documents</li> <li>D Recovering files</li> <li>12 Which of the following authenticates a handles credit card payment for E-Commerce?</li> <li>A Payment gateway</li> <li>B E - Commerce gateway</li> <li>C Software gateway</li> <li>D CoD</li> <li>G Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>B Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>   |     |  |    | -                                       |
| <ul> <li>seller is an individual and the buyer is a business firm?</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>4 Which is the model in E - Commerce, if the seller and the buyer are the both individuals?</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>S Which option in E - Commerce, helps to keep selected products until checkout / payment?</li> <li>A Basket</li> <li>B Cart</li> <li>C Tray</li> <li>D COD</li> <li>G Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>B Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>  |     |  | Δ  | -                                       |
| <ul> <li>business firm?</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>4 Which is the model in E - Commerce, if the seller and the buyer are the both individuals?</li> <li>A Consumer to Business</li> <li>B Business to Business</li> <li>D Consumer to Consumer</li> <li>C Business to Business</li> <li>B Business to Business</li> <li>D Consumer to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>S Which option in E - Commerce, helps to keep selected products until checkout / payment?</li> <li>A Basket</li> <li>B Cart</li> <li>C Tray</li> <li>D COD</li> <li>G Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>B Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>   |     |  |    | 5                                       |
| <ul> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>4 Which is the model in E - Commerce, if the seller and the buyer are the both individuals?</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>S Which option in E - Commerce, helps to keep selected products until checkout / payment?</li> <li>A Basket</li> <li>B Cart</li> <li>C Tray</li> <li>D COD</li> <li>G Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>B Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>   |     |  |    |   |
| BBusiness to ConsumerCBusiness to BusinessDConsumer to Consumer4Which is the model in E - Commerce, if the<br>seller and the buyer are the both<br>individuals?AConsumer to BusinessBBusiness to ConsumerCBusiness to ConsumerCBusiness to ConsumerCBusiness to BusinessDConsumer to Consumer5Which option in E - Commerce, helps to<br>keep selected products until checkout /<br>payment?ABasketBCartCTrayDCOD6Which is the function of specifying access<br>rights to resources related to information<br>security?AOTPBPinCAuthoriztionDPasscode   |     |  |    |   |
| CBusiness to BusinessDConsumer to Consumer4Which is the model in E - Commerce, if the<br>seller and the buyer are the both<br>individuals?AConsumer to BusinessBBusiness to ConsumerCBusiness to ConsumerCBusiness to BusinessDConsumer to Consumer5Which option in E - Commerce, helps to<br>keep selected products until checkout /<br>payment?ABasketBCartCTrayDCOD6Which is the function of specifying access<br>rights to resources related to information<br>security?AOTPBPinCAuthoriztionDPasscode   |     |  |    |   |
| DConsumer to Consumer4Which is the model in E - Commerce, if the<br>seller and the buyer are the both<br>individuals?BBuying and selling productsAConsumer to BusinessDRecovering filesBBusiness to Consumer12Which of the following authenticates a<br>handles credit card payment for E-<br>Commerce?CBusiness to BusinessPayment gatewayDConsumer to ConsumerE - Commerce gatewaySWhich option in E - Commerce, helps to<br>keep selected products until checkout /<br>payment?BABasketBBCartCCTray13DCODA6Which is the function of specifying access<br>rights to resources related to information<br>security?Smurf attackAOTPPinBPinCCAuthoriztionPasscode   |     |  | _  |   |
| <ul> <li>Which is the model in E - Commerce, if the seller and the buyer are the both individuals?</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>S Which option in E - Commerce, helps to keep selected products until checkout / payment?</li> <li>A Basket</li> <li>B Cart</li> <li>C Tray</li> <li>D COD</li> <li>G Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>B Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>   |     |  |    |   |
| seller and the buyer are the both<br>individuals?<br>A Consumer to Business<br>B Business to Consumer<br>C Business to Business<br>D Consumer to Consumer<br>5 Which option in E - Commerce, helps to<br>keep selected products until checkout /<br>payment?<br>A Basket<br>B Cart<br>C Tray<br>D COD<br>6 Which is the function of specifying access<br>rights to resources related to information<br>security?<br>A OTP<br>B Pin<br>C Authoriztion<br>D Recovering files<br>12 Which of the following authenticates a<br>handles credit card payment for E-<br>Commerce?<br>A Payment gateway<br>B E - Commerce gateway<br>C Software gateway<br>D E-Wallets<br>13 What is the another name called PDoS<br>A Brute force attack<br>B Non technical attack<br>C Phlashing<br>D Smurf attack   |     | Which is the model in E - Commerce, if the |    |   |
| <ul> <li>individuals?</li> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>S Which option in E - Commerce, helps to keep selected products until checkout / payment?</li> <li>A Basket</li> <li>B Cart</li> <li>C Tray</li> <li>D COD</li> <li>G Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>B Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>  |     |  |    | -                                       |
| <ul> <li>A Consumer to Business</li> <li>B Business to Consumer</li> <li>C Business to Business</li> <li>D Consumer to Consumer</li> <li>S Which option in E - Commerce, helps to keep selected products until checkout / payment?</li> <li>A Basket</li> <li>B Cart</li> <li>C Tray</li> <li>D COD</li> <li>G Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>B Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>  |     | -  | 12 | _                                       |
| BBusiness to ConsumerCBusiness to BusinessDConsumer to Consumer5Which option in E - Commerce, helps to<br>keep selected products until checkout /<br>payment?ABasketBCartCTrayDCOD6Which is the function of specifying access<br>rights to resources related to information<br>security?AOTPBPinCAuthoriztionDPasscode   | ۱.  | Consumer to Business                       |    | -                                       |
| <ul> <li>D Consumer to Consumer</li> <li>5 Which option in E - Commerce, helps to keep selected products until checkout / payment?</li> <li>A Basket</li> <li>B Cart</li> <li>C Tray</li> <li>D COD</li> <li>G Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>B Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>  | 3   | Business to Consumer                       |    |   |
| <ul> <li>5 Which option in E - Commerce, helps to keep selected products until checkout / payment?</li> <li>A Basket</li> <li>B Cart</li> <li>C Tray</li> <li>D COD</li> <li>6 Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>B Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>  | ;   | Business to Business                       | Α  | Payment gateway                         |
| <ul> <li>keep selected products until checkout /<br/>payment?</li> <li>A Basket</li> <li>B Cart</li> <li>C Tray</li> <li>D COD</li> <li>G Which is the function of specifying access<br/>rights to resources related to information<br/>security?</li> <li>A OTP</li> <li>B Pin</li> <li>C Authoriztion</li> <li>D E-Wallets</li> <li>13 What is the another name called PDos</li> <li>A Brute force attack</li> <li>B Non technical attack</li> <li>C Phlashing</li> <li>D Smurf attack</li> </ul>  | )   | Consumer to Consumer                       | в  | E - Commerce gateway                    |
| <ul> <li>payment?</li> <li>A Basket</li> <li>B Cart</li> <li>C Tray</li> <li>D COD</li> <li>G Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>B Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>   |     | Which option in E - Commerce, helps to     | С  | Software gateway                        |
| <ul> <li>A Basket</li> <li>B Cart</li> <li>C Tray</li> <li>D COD</li> <li>G Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>B Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>   |     | keep selected products until checkout /    | D  | E-Wallets                               |
| B       Cart       B       Non technical attack         C       Tray       B       Non technical attack         D       COD       COD       D         6       Which is the function of specifying access rights to resources related to information security?       D       Smurf attack         A       OTP       Diagonal product of the security of th  |     | payment?                                   | 13 | What is the another name called PDoS?   |
| C       Tray         D       COD         6       Which is the function of specifying access rights to resources related to information security?         A       OTP         B       Pin         C       Authoriztion         D       Passcode   | ۱.  |  | Α  | Brute force attack                      |
| D       COD         6       Which is the function of specifying access rights to resources related to information security?         A       OTP         B       Pin         C       Authorization         D       Smurf attack   | -   |  | В  | Non technical attack                    |
| <ul> <li>6 Which is the function of specifying access rights to resources related to information security?</li> <li>A OTP</li> <li>B Pin</li> <li>C Authoriztion</li> <li>D Passcode</li> </ul>  |     | •  | С  | Phlashing                               |
| rights to resources related to information<br>security?<br>A OTP<br>B Pin<br>C Authoriztion<br>D Passcode  |     |  | D  | Smurf attack                            |
| security?<br>A OTP<br>B Pin<br>C Authoriztion<br>D Passcode  |     |  |    |   |
| <ul> <li>A OTP</li> <li>B Pin</li> <li>C Authorization</li> <li>D Passcode</li> </ul>  |     | 6  |    |   |
| <ul> <li>B Pin</li> <li>C Authorization</li> <li>D Passcode</li> </ul>   |     | •  |    |   |
| <ul><li>C Authorization</li><li>D Passcode</li></ul>   |     |  |    |   |
| D Passcode   |     |  |    |   |
|  |     |  |    |   |
|  |     |  |    |   |
|  |     | Which refers to paying the money back to   |    |   |
| the buyer after the price has been deducted  |     |  |    |   |
| from the account?  |     |  |    |   |
| A Refund   |     |  |    |   |
| <ul><li>B Return</li><li>C Deduction</li></ul>   | -   |  |    |   |
| D Charge bace  | -   |  |    |   |
|  |     |  | l  |   |

# Module 4 : E - Commerce - Key paper

#### Questions: Level 1

| SL.No                 | Key         |
|-----------------------|-------------|
| 1                     | A           |
| 2                     | В           |
| 3                     | С           |
| 4                     | D           |
| 2<br>3<br>4<br>5<br>6 | В           |
|                       | A           |
| 7                     | A<br>C<br>A |
| 8                     | A           |
| 9                     | D           |
| 10                    | В           |
| 11                    | В           |

| SL.No | Key |
|-------|-----|
| 1     | С   |
| 2     | В   |
| 3     | A   |
| 4     | D   |
| 5     | В   |
| 6     | С   |
| 7     | A   |
| 8     | С   |
| 9     | D   |
| 10    | С   |
| 11    | В   |
| 12    | A   |
| 13    | С   |

### Computer Operator and Programming Assistant 2<sup>nd</sup> Semester -Module 5 : Cyber Security

- 1 When the Indian parliament passed the IT Act?
- **A** 1990
- **B** 1992
- **C** 2000
- **D** 2005
- 2 What is the full form of LDAP?
- A Light Weight Directory Access Provider
- **B** Light Weight Directory Access Protocol
- **C** Light Weight Directory Access Program
- **D** Light Weight Directory Access Protection
- 3 What is called the collective terms of malicious software, such as viruses, worms and trojans?
- A Spam
- **B** Phishing
- **C** Malware
- D Harm

| Qu | estions: Level 2   | 8 | What is called the unauthorized                               |
|----|--|---|---|
| 1  | What is called protecting data from online               |   | control/acess over the computer system and destroys the data? |
| _  | attacks, deletions, malwares?                            | Α | Defamation  |
| Α  | Physical security  | В | Carding   |
| В  | Cyber security   | С | Hacking   |
| С  | Cyber attack   | D | Cyber - stalking  |
| D  | Virus  | 9 | Which method go through all the files or                      |
| 2  | What is called the protection of information             |   | network elements with an intention to detect                  |
|    | and data from unauthorized Access?                       |   | something unusual?  |
| Α  | Physical security  | Α | Probing   |
| В  | Link security  | в | Phishing  |
| С  | Risk management  | С | Infecting   |
| D  | Information security                                     | D | Scanning  |
| 3  | What is the full form of CIA under information security? |   |   |
| Α  | Confidentiality Integrity Availability                   |   |   |
| В  | Criminal Investigation Agency                            |   |   |
| С  | Cost Information Agency                                  |   |   |
| D  | Credit Integrity Assement                                |   |   |
| 4  | What is called periodic assessment of                    |   |   |
|    | security vulnerability in computer system?               |   |   |
| Α  | Threat   |   |   |
| В  | Attack   |   |   |
| С  | Hacking  |   |   |
| D  | Security audit   |   |   |
| 5  | What is called a single point of access for              |   |   |
|    | several networking services?                             |   |   |
| Α  | Phishing   |   |   |
| В  | Web service  |   |   |
| С  | Directory service  |   |   |
| D  | Worms  |   |   |
| 6  | Which activities endanger the sovereignty                |   |   |
|    | and integrity of nation?                                 |   |   |
| Α  | Cyber Terrorism  |   |   |
| В  | Cyber vandalism  |   |   |
| С  | Cyber squatting  |   |   |
| D  | Carding  |   |   |
| 7  | Which crime involves the use of computer                 |   |   |
|    | networks to create, distribute or access                 |   |   |
|    | materials that sexually expoit underage                  |   |   |
|    | persons?   |   |   |
| Α  | Assault by Threat  |   |   |
| В  | Cyber squatting  |   |   |
| С  | Cyber vandalism  |   |   |
| D  | Child pornography  |   |   |
|    |  |   |   |
|    |  |   |   |
|    |  |   |   |
|    |  | I |   |

# Module 5 : Cyber Security - Key paper

Г

#### Questions: Level 1

#### **Questions: Level 2**

\_

| SL.No | Key |
|-------|-----|
| 1     | С   |
| 2     | В   |
| 3     | С   |

| SL.No | Key |
|-------|-----|
| 1     | В   |
| 2     | D   |
| 3     | А   |
| 4     | D   |
| 5     | С   |
| 6     | А   |
| 7     | D   |
| 8     | С   |
| 9     | D   |